AMBULANCE SERVICES ACT DECLARATION RE

Under authority of section 27 of the Ambulance Services Act Stats. P.E.I. 2012, c. 2 Council ordered that a Proclamation do issue proclaiming the said "Ambulance Services Act" to come into force effective September 1, 2013.

EC2013-530

AMBULANCE SERVICES ACT **GENERAL REGULATIONS**

Pursuant to section 23 of the Ambulance Services Act R.S.P.E.I. 1988, Cap. A-10.01, Council made the following regulations:

Application

1. The requirements and standards in these regulations apply in respect Application of of every ambulance that is used or intended to be used to provide regulations ambulance services in the province, except an ambulance based outside the province that is used to provide for the inter-provincial transportation of patients.

Staffing of an Ambulance

- 2. (1) An ambulance shall be staffed by at least two emergency medical Staff complement technicians.
- (2) When transporting a patient by ambulance, at least one emergency Idem medical technician shall ride in the patient section of the ambulance to attend to the patient, except where
 - (a) medical or nursing personnel are in the patient section attending to the patient; and
 - (b) space limitations prevent an emergency medical technician from riding in the patient section with the medical or nursing personnel.

Vehicle Safety and Design

3. (1) An ambulance shall be

- Safety of vehicle
- (a) registered and inspected in accordance with the Highway Traffic Act R.S.P.E.I. 1988, Cap. H-5, as evidenced by the motor vehicle registration and the inspection certificate carried in the ambulance;
- (b) maintained in good mechanical condition and repair; and
- (c) cleaned, disinfected and decontaminated to prevent the spread of communicable diseases.
- (2) The vehicle design requirements for an ambulance are set out in Design Schedule A.

Equipment and Supplies

- 4. (1) The following vehicle equipment shall be carried in an ambulance: Vehicle equipment
 - (a) a two-way radio or mobile phone;
 - (b) at least two battery-operated flashlights;
 - (c) a properly maintained dry chemical fire extinguisher of a type approved by the Fire Marshal appointed pursuant to the Fire Prevention Act R.S.P.E.I. 1988, Cap. F-11.
- (2) The patient care equipment and supplies set out in Schedule B shall be carried in an ambulance.

Patient care supplies

5. (1) All equipment and supplies carried in an ambulance shall be Uncontrolled properly stored and secured to prevent uncontrolled movement.

(2) All equipment carried in an ambulance shall

movement

Safety of equipment

- (a) meet any standards established by the Canadian Standards Association (CSA) for such equipment, as indicated by a mark or stamp of CSA approval;
- (b) be maintained and calibrated in accordance with any recommendations of the manufacturer; and
- (c) be cleaned, disinfected and decontaminated to prevent the spread of communicable diseases.
- (3) No person shall use equipment carried in an ambulance for Approved uses purposes, or under conditions, other than those approved by the manufacturer for that equipment.

Use of Ambulance

6. An ambulance shall not be used for the transportation of human Transportation of remains unless prior approval has been obtained from a coroner human remains appointed under the Coroners Act R.S.P.E.I. 1988, Cap. C-25.1.

Patient Call Reports

7. For the purposes of clause 15(3)(b) of the Act, an operator shall retain Retention of patient a patient call report for 7 years.

8. These regulations come into force on September 1, 2013.

Commencement

SCHEDULE A

Ambulance Design Requirements

- 1. An ambulance shall provide for
 - (a) ready access between driver and patient sections;
 - (b) entry by rear doors to permit ready loading of a stretcher patient; and
 - (c) entry by a curbside door to permit ready loading of an ambulatory patient, with anti-slip covering on any steps.
- 2. The rear doors of an ambulance shall not contain windows that open.
- **3.** The patient section of an ambulance shall accommodate
 - (a) at least one stretcher patient and one other patient lying on another stretcher or backboard, or two seated patients; and
 - (b) at least one person who is attending to the patients, with headroom sufficient for the provision of care from a sitting position.
- **4.** (1) An ambulance shall be equipped with a stretcher holder mounted to the floor or left wall assembly so as to secure a wheeled, adjustableheight stretcher.
- (2) The floor or wall assembly on which a stretcher holder is mounted shall be reinforced so as to transmit stresses to the main body of the vehicle
- (3) A stretcher holder shall be positioned to allow free working space at the foot and head of the stretcher.
- **5.** An ambulance shall be equipped with
 - (a) fasteners or holders designed to securely fasten and transport an incubator:
 - (b) an attendant seat with headrest, facing toward the rear, and positioned by the head of the stretcher;
 - (c) restraint belts for patients and emergency medical technicians or other personnel;
 - (d) overhead hooks for use with intravenous treatment;
 - (e) readily accessible storage for all required patient care supplies and equipment; and
 - (f) a siren, with controls readily accessible to the driver.
- 6. The interior surfaces of an ambulance shall be easily washable and free from sharp edges.
- 7. An ambulance shall be insulated and have a system of heating and cooling or ventilation that allows for keeping the patient section approximately at ordinary room temperature.
- **8.** An ambulance shall be equipped with the following lighting:

- (a) a map light in the driver section;
- (b) at least two interior lights, located on each side of the patient section, controlled by independent switches to permit dimming of individual lights;
- (c) lighting to illuminate the rear entry when the doors are opened and when the transmission is in reverse gear;
- (d) lighting to illuminate the side step entry when the door is opened;
- (e) a red, or red and white, rotating light or strobe light, mounted on the roof, which is visible within 150 metres from the front and rear of the vehicle;
- (f) two red flashing lights on the grill or front face of the vehicle;
- (g) an intersection light mounted on the side of each front fender;
- (h) a clear ditch light, either mounted on the vehicle or hand-held, sufficient to illuminate a work site or house number at a distance of 15 metres.
- **9.** (1) The interior of an ambulance shall be painted and furnished in soft colours.
- (2) The exterior of an ambulance shall be painted predominantly white, cream or yellow.
- **10.** The exterior of an ambulance shall display the word "AMBULANCE" on reflective decals, written in block letters at least 12.5 cm in height, on the rear and both sides of the vehicle, and on the front in reverse printing so as to be readable in a mirror.

SCHEDULE B Patient Care Equipment and Supplies

Pat	ient Care Equipment and Supplies	Minimum Number or Amount
1.	Standard, adjustable-height stretcher	1
2.	Pedi-mate paediatric transport device	1
3.	Stair chair	1
4.	Semi-rigid, collapsible stretcher	1
5.	Standard-sized backboard	1
6.	Kendrick extrication device	1
7.	Head immobilization device	1
8.	Backboard quick adjustable clips (body	1 set of 4
	immobilization straps)	
9.	Semi-rigid, adjustable cervical collars	1 adult size
	3	1 paediatric size
10.	Bedding and linen, as follows:	•
	(a) blankets	2
	(b) bed sheets	2
	(c) pillows	2
	(d) pillow cases	2
	(e) impermeable protective mattress	2
	covers	
11.	Assorted bandages and sterile dressings,	
	including:	
	(a) 4 x 4 sterile gauze pads	12
	(b) abdominal pads	6
	(c) Kling rolled bandages, 4-inch	2
	(d) non-stick (Telfa) dressing	3
12.	Roll of adhesive tape	1
13.	Trauma shears	1
14.	Triangular slings	3
15.	Sterile burn kit	1
16.	Oxygen tanks, with minimum 15 litres	
	per minute regulator, as follows:	
	(a) large tank (M size or equivalent),	1
	maintained at not less than 500 psi	
	(b) small (D or E) portable tanks,	2
	maintained at not less than 500 psi	
17.	Nebulizer masks	1 adult size
		1 paediatric size
18.	Nasal cannulas	1 adult size
		1 paediatric size

19. N	Non-rebreather masks	1 adult size
20 E	Bag-valve-mask (BVM) devices with	1 paediatric size
	ntrinsic PEEP valve/external PEEP	
	accessory, as follows:	
	a) adult-sized with 2 adult-sized masks	1
	b) child-sized with 1 child-sized mask	1
,	c) infant-sized with 1 infant-sized	1
`	nask	1
	Adult CPAP delivery device	1
	Suction apparatus with single service	<u> </u>
	ips, as follows:	
(a) electrically operated and stationary	1
	b) portable	1
23. Y	Yankeur suction device	1
24. S	Suction catheters (sizes 12fr to 16fr)	1 per size
25. S	Suction tubing	
26. (Oropharyngeal airways (sizes 3 to 10)	1 per size
27. N	Nasopharyngeal airways (sizes 12 to 30)	1 per size
28. ŀ	King LT supraglottic airways (sizes 3 to	1 per size
	5)	
	Colormetric end tidal C02 device	1
	Endotracheal tubes (sizes 3 to 8.5)	1 per size
	Positube esophageal detection device	1
	Bougie	1
33. C	Cricothyrotomy kits	1 adult size
		1 paediatric size
34. S	Stylets	1 adult size
		1 paediatric size
	Stethoscope	<u>l</u>
	Sphygmomanometer, with infant-sized,	1
	pediatric-sized, adult-sized, and large	
	adult-sized cuffs	
	Medications, as follows:	7 1 C
(a) Acetylsalicyclic Acid (ASA)	5 packages of 2 tablets
	(81 mg/tablet) (b) Adenosine (3 mg/ml)	5 boxes –
(b) Adenosine (5 mg/mi)	injection or vials
(c) Amiodarone (150 mg/3 ml)	5 vials
	d) Atropine (1 mg/10 ml)	2 boxes - injection
	e) Bicarb (Sodium Bicarbonate)	1 box - injection
((50 meq/50 ml)	1 box injection
(f) Dextrose 5% water (D5W) (100ml)	1 bag
	g) Dextrose 50% (25 g/50 ml)	2 boxes - injection
	h) Diazepam (Valium) (10 mg/2 ml)	2 vials
	i) Dimenhydrinate (Gravol)	2 vials or ampules
((50 mg/ml)	2 viais of ampares
(j) Diphenhydramine (Benadryl)	2 vials
`	(50 mg/ml)	
((k) Dopamine (500 ml)	1 bag (pre-mixed)
	l) Epinephrine (Adrenaline) 1:10,000	6 boxes - injection
	(1 mg/10 ml)	J
(m) Epinephrine (Adrenaline) 1:1,000	1 ampule
_ `	(1 mg/ml)	<u>.</u>
(n) Fentanyl (100 mcg/2 ml)	2 ampules
	o) Furosemide (Lasix) (10 mg/ml)	2 vials
	p) Glucagon (1 mg)	2 vials/kit
	q) Haloperidol (Haldol) (5 mg/ml)	1 vial
(r) Ipratropium (Atrovent)	2 aerosol inhalers;
		1 single-use meter
		dose inhaler
(s) Lidocaine (Xylocaine)	1 bottle
	t) Magnesium Sulphate (5 g/10 ml)	1 vial
	(u) Metoclopromide (10 mg/2 ml)	2 vials
(v) Midazolam (Versed) (5 mg/ml)	1 vial
	w) Morphine (10 mg/ml)	2 ampules
	() NT 1 (NT) (O 4 (1)	2 vials
	x) Naloxone (Narcan) (0.4 mg/ml)	2 viais
(y) Nitroglycerin (N/G) (0.4 mg/dose)	2 vials
(

dose inhaler 2 unit doses (Tetracaine) (0.5%) (cc) Tranexamic Acid (1.000 mg/10 ml) 1 vial 38. Intravenous supplies, as follows:			1 single-use meter
(Tetracaine) (0.5%) (cc) Tranexamic Acid (1,000 mg/10 ml) 38. Intravenous supplies, as follows: (a) syringe – 60cc (b) syringe – 20cc (c) syringe – 10cc (d) syringe – 5cc (e) syringe – 10c (f) syringe – 10c (g) NaCl 0.9% for injection, 10cc bottles (h) NaCl 0.9% for flushing, 10cc prefilled syringes (i) NaCl 0.9% for flushing, 10cc prefilled syringes (i) NaCl 0.9% solution, 1,000 ml bags (j) peripheral intravenous lock (k) IV Tubing – 10gtt solution set (l) Buretrol – 60gtt set (m) tourniquets (n) Tagaderm dressing (o) blunt fill needle – 18 gauge (1-1/2") (q) needle – 25 gauge (7/8") (q) needle – 25 gauge (7/8") (q) rotatheter – 14 gauge (l) IV catheter – 18 gauge (l) IV catheter – 19 gauge (l) IV catheter – 10			
(cc) Tranexamic Acid (1,000 mg/10 ml)			2 unit doses
38. Intravenous supplies, as follows: (a) syringe - Obcc			1 1 1
(a) syringe – 60cc (b) syringe – 20cc (c) syringe – 10cc (d) syringe – 5cc (e) syringe – 5cc (e) syringe – 3cc (f) syringe – 1cc (g) NaCl 0.9% for injection, 10cc bottles (h) NaCl 0.9% for flushing, 10cc prefilled syringes (i) NaCl 0.9% solution, 1,000 ml bags (j) peripheral intravenous lock (j) peripheral intravenous lock (k) IV Tubing – 10gtt solution set (l) Buretrol – 60gtt set (m) tourniquets (2) (n) Tagaderm dressing (o) blunt fill needle – 18 gauge (1-1/2") (p) needle – 25 gauge (7/8") (2) (q) needle – 25 gauge (1-1/2") (r) IV catheter – 14 gauge (g) IV catheter – 14 gauge (g) IV catheter – 20 gauge (u) IV catheter – 20 gauge (v) IV catheter – 22 gauge (v) IV catheter – 18 gauge (v) IV catheter – 29 gauge (v) IV catheter – 18 gauge (v) IV catheter – 20 gauge (v) IV catheter – 20 gauge (v) IV catheter – 18 gauge (v) IV catheter – 19 gauge (v) IV catheter – 20 gauge (v) IV catheter – 20 gauge (v) IV catheter – 19 gauge (v) IV catheter – 20 gauge (v) IV catheter – 19 gauge (v) IV catheter – 19 gauge (v) IV catheter – 19 gauge (v) IV catheter – 20 gauge (v) IV catheter – 19 gauge (v) IV catheter – 19 gauge (v) IV catheter – 19 gauge (v) IV catheter – 20 gauge (v) IV catheter – 19 gauge (v) IV catheter – 19 gauge (v) IV catheter – 20 gauge (20		l vial
(b) syringe – 20cc (c) syringe – 10cc (d) syringe – 10cc (d) syringe – 3cc (e) syringe – 3cc (f) syringe – 3cc (f) syringe – 1cc (g) NaCl 0.9% for injection, 10cc bottles (h) NaCl 0.9% for filushing, 10cc prefilled syringes (i) NaCl 0.9% solution, 1,000 ml bags (j) peripheral intravenous lock (k) IV Tubing – 10gtt solution set (l) Buretrol – 60gtt set (m) tourniquets (n) Tagaderm dressing (o) blunt fill needle – 18 gauge (1-1/2") (p) needle –25 gauge (7/8") (q) needle –25 gauge (1-1/2") (r) IV catheter – 14 gauge (u) IV catheter – 16 gauge (v) IV catheter – 18 gauge (u) IV catheter – 18 gauge (u) IV catheter – 22 gauge (v) IV catheter – 18 gauge (v) IV catheter – 19 gauge (v) IV catheter – 10 gauge (v) IV catheter	38.		1
(c) syringe – 10cc (d) syringe – 5cc (e) syringe – 3cc (e) syringe – 1cc (g) NaCl 0.9% for injection, 10cc bottles (h) NaCl 0.9% for flushing, 10cc pre- filled syringes (i) NaCl 0.9% solution, 1,000 ml bags (j) peripheral intravenous lock (k) IV Tubing – 10gtt solution set (l) NaCl 0.9% solution, 1,000 ml bags (g) peripheral intravenous lock (k) IV Tubing – 10gtt solution set (l) Buretrol – 60gtt set (l) mourniquets (l) Tagaderm dressing (l) nacl 18 gauge (1-1/2") (l) peripheral intravenous lock (l) Buretrol – 60gtt set (l) Buretrol – 60gtt set (l) Buretrol – 60gtt set (l) Tagaderm dressing (l) nacl 18 gauge (1-1/2") (l) peripheral intravenous lock (l) IV cuther – 18 gauge (1-1/2") (l) peripheral intravenous lock (l) IV catheter – 14 gauge (l) peripheral intravenous lock (l) IV catheter – 14 gauge (l) peripheral intravenous lock (l) IV catheter – 18 gauge (l) peripheral intravenous lock (l) IV catheter – 18 gauge (l) IV catheter – 18 gauge (l) IV catheter – 20 gauge (l) IV catheter – 20 gauge (l) IV catheter – 20 gauge (l) IV catheter – 18 gauge (l) IV catheter – 19 gauge (l) IV catheter – 20 gauge (l) IV cathe			
(d) syringe – Scc (e) syringe – 3cc (f) syringe – 1cc 2 (g) NaCl 0.9% for injection, 10cc bottles (h) NaCl 0.9% for flushing, 10cc prefilled syringes (i) NaCl 0.9% solution, 1.000 ml bags 2 (j) peripheral intravenous lock (k) IV Tubing – 10gtt solution set 2 (l) Buretrol – 60gtt set (m) tourniquets (o) blunt fill needle – 18 gauge (1-1/2") 2 (p) needle – 25 gauge (7-1/2") 2 (q) needle – 22 gauge (1-1/2") 2 (r) IV catheter - 16 gauge 3 (i) IV catheter - 16 gauge 2 (i) IV catheter - 20 gauge (v) IV catheter – 20 gauge (v) IV catheter – 218 gauge (v) IV catheter – 18 gauge (v) IV catheter – 18 gauge 1 (v) rasal atomizer (z) alcohol swabs 5 39. Penlight 40. Sam splints 41. Urinal 41. Urinal 42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 45. Cold compresses 45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiae monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) tecorder paper (e) disposable cardiac electrodes (f) 5-lead attachment (g) 12-lead attachment (g) blade – MacIntosh #4 (f) blade – MacIntosh #4 (f) blade – MacIntosh #4 (f) blade – Miller #0 (l) wlid blade – MacIntosh #4 (l) twill tape (l) Wuko lubricating jelly (l) Wa diller #0 (l) Wuko lubricating jelly (l) Wa diller #1 (l) Wuko lubricating jelly			
(e) syringe – 3cc (f) syringe – 1cc (g) NaCl 0.9% for injection, 10cc bottles (h) NaCl 0.9% for flushing, 10cc prefilled syringes (i) NaCl 0.9% solution, 1,000 ml bags (j) peripheral intravenous lock 2 (k) IV Tubing – 10gtt solution set 2 (l) Buretrol – 60gtt set (m) tourniquets 2 (n) Tagaderm dressing (o) blunt fill needle – 18 gauge (1-1/2") 2 (p) needle – 25 gauge (78") 2 (q) needle – 22 gauge (1-1/2") 2 (r) IV catheter - 14 gauge 2 (s) IV catheter - 16 gauge 2 (t) IV catheter - 18 gauge 2 (t) IV catheter - 20 gauge 2 (v) IV catheter - 20 gauge 2 (v) IV catheter - 18 gauge 1 (x) transport tape (y) nasal atomizer (z) alcohol swabs 5 39. Penlight 40. Sam splints 41. Urinal 42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 10. Biohazard bag 11. Facial tissues 12. Cardiac monitor kit, portable, including: (a) cardiac monitor kit, portable, including: (a) cardiac monitor kit, portable, including: (a) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) disposable cardiac electrodes (d) plade – MacIntosh #4 (f) blade – MacIntosh #4 (f) blade – MacIntosh #4 (f) blade – Miller #0 (f) Muko lubricating jelly 3 (g) Muko lubricating jelly 3			
(f) syringe – Icc 2 (g) NaCl 0.9% for injection, 10cc bottles 2 (h) NaCl 0.9% for flushing, 10cc prefilled syringes 2 (i) NaCl 0.9% solution, 1,000 ml bags 2 (j) peripheral intravenous lock 2 (k) IV Tubing – 10gtt solution set 2 (l) Buretrol – 60gtt set 1 (m) tourniquets 2 (n) Tagaderm dressing 6 (o) blunt fill needle – 18 gauge (1-1/2") 2 (p) needle – 25 gauge (7/8") 2 (q) needle – 22 gauge (1-1/2") 2 (r) IV catheter - 14 gauge 2 (s) IV catheter - 18 gauge 2 (v) IV catheter - 20 gauge 2 (v) IV catheter - 22 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (w) IO catheter - 18 gauge 1 (v) I catheter - 22 gauge 2<			
(g) NaCl 0.9% for injection, 10cc bottles (h) NaCl 0.9% for flushing, 10cc pre- filled syringes (j) NaCl 0.9% solution, 1,000 ml bags 2 (j) peripheral intravenous lock 2 (k) IV Tubing – 10gtt solution set 2 (l) Buretrol – 60gtt set (m) tourniquets 2 (n) Tagaderm dressing 3 (o) blunt fill needle – 18 gauge (1-1/2") 2 (p) needle – 25 gauge (7/8") 2 (q) needle – 22 gauge (1-1/2") 2 (r) IV catheter - 14 gauge 2 (s) IV catheter - 16 gauge 3 (l) IV catheter - 18 gauge 4 (l) IV catheter - 20 gauge (v) IV catheter - 22 gauge (w) IO catheter - 18 gauge 2 (w) IO catheter - 18 gauge 2 (w) IO catheter - 18 gauge 3 (y) nasal atomizer 4 (2) alcohol swabs 5 (2) alcohol swabs 5 (2) alcohol swabs 4 (4) Sam splints 41. Urinal 42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 10. Biohazard bag 11. Tacial tissues 50. Biohazard bag 11. Tacial tissues 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor kit, portable, including: (a) cardiac monitor kit, portable, including: (a) incompenses (b) Magill forceps 1 adult size 2 paediatric size (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment 1 g) 12-lead attachment 1 g) 12-lead attachment 1 d) Hadle – Maller #1 1 dault size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 1 e) blade – MacIntosh #4 1 f) blade – Miller #0 1 holade – Miller #0 1 holade – Miller #1 1 h) blade – Miller #1 1 h) blade – Miller #1 1 h) blade – Miller #4 1 in ill ill ill ill ill ill ill ill ill		(f) syringe – 1cc	
bottles			
(h) NaCl 0.9% for flushing, 10cc pre- filled syringes (i) NaCl 0.9% solution, 1,000 ml bags (j) peripheral intravenous lock (k) IV Tubing – 10gtt solution set (l) Buretrol – 60gtt set (m) tourniquets (l) Buretrol – 60gtt set (m) Tagaderm dressing (o) blunt fill needle – 18 gauge (1-1/2") (p) needle – 25 gauge (7/8") (q) needle – 25 gauge (7/8") (q) needle – 22 gauge (1-1/2") (l) V catheter – 14 gauge (l) IV catheter – 16 gauge (l) IV catheter – 18 gauge (l) IV catheter – 18 gauge (l) IV catheter – 20 gauge (l) IV catheter – 22 gauge (l) IV catheter – 22 gauge (l) IV catheter – 22 gauge (l) IV catheter – 18 gauge (l) IV IV catheter – 18 gauge (l) IV IV catheter			2
(i) NaCl 0.9% solution, 1,000 ml bags (i) peripheral intravenous lock (k) IV Tubing — 10gtt solution set (l) Buretrol — 60gtt set (m) tourniquets (n) Tagaderm dressing (o) blunt fill needle — 18 gauge (1-1/2") (p) needle — 25 gauge (7/8") (q) needle — 25 gauge (7/8") (q) needle — 22 gauge (1-1/2") (r) IV catheter — 14 gauge (s) IV catheter — 18 gauge (t) IV catheter — 18 gauge (t) IV catheter — 20 gauge (v) IV catheter — 22 gauge (v) IV catheter — 22 gauge (v) IV catheter — 23 gauge (v) IV catheter — 24 gauge (v) IO catheter — 25 gauge (v) IO catheter — 18 gauge 1 (x) transport tape (y) nasal atomizer (z) alcohol swabs 5 39. Penlight 10. Sam splints 11. Urinal 12. Bedpan, with toilet paper 13. Emesis bag 14. Hot compresses 15. Cold compresses 16. Disposable gloves (sizes small, medium and large) 17. Safety glasses with side shields 18. Surgical masks 19. Sharps disposal container 10. Biohazard bag 11. Disposable container 11. Disposable container 12. Cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment 1 (g) 14-lead e-MacIntosh #4 1 (h) blade — MacIntosh #4 1 (h) blade — Miller #0 1 (l) Wulko lubricating jelly 3 (l) Wuko lubricating jelly		(h) NaCl 0.9% for flushing, 10cc pre-	2
(i) peripheral intravenous lock (k) IV Tubing – lOgtt solution set (l) Buretrol – 60gtt set (m) tourniquets (n) Tagaderm dressing (o) blunt fill needle – 18 gauge (1-1/2") (p) needle – 25 gauge (7/8") (q) needle – 25 gauge (7/8") (q) needle – 22 gauge (1-1/2") (r) IV catheter – 14 gauge (s) IV catheter – 16 gauge (l) IV catheter – 16 gauge (l) IV catheter – 18 gauge (l) IV catheter – 20 gauge (l) IV catheter – 20 gauge (l) IV catheter – 18 gauge (l) IV catheter – 19 gauge (l) IV catheter – 19 gauge (l) IV catheter – 10 gauge (l)			2
(k) IV Tubing – 10gtt solution set 2 (l) Buretrol – 60gtt set 1 (m) tourniquets 2 (n) Tagaderm dressing 6 (o) blunt fill needle – 18 gauge (1-1/2") 2 (p) needle – 25 gauge (7/8") 2 (q) needle – 22 gauge (1-1/2") 2 (q) needle – 22 gauge (1-1/2") 2 (r) IV catheter - 16 gauge 2 (s) IV catheter - 18 gauge 2 (u) IV catheter - 20 gauge 2 (v) IV catheter - 20 gauge 2 (w) IO catheter - 18 gauge 1 (v) IV catheter - 21 gauge 2 (w) IO catheter - 18 gauge 1 (v) IV catheter - 18 gauge 1 (v) IV catheter - 20 gauge 2 (v) IV catheter - 18 gauge 1 (v) IV catheter - 18 gauge 1 (v) IV catheter - 20 gauge 2 (v) IV catheter - 20 gauge 2 (w) IO catheter - 18 gauge 1 (v) IV catheter - 20 gauge 2 (v) IV catheter - 21 gauge 1 (x) IV catheter 21 gaug			2
(I) Buretrol – 60gtt set (m) tourniquets (n) Tagaderm dressing (o) blunt fill needle – 18 gauge (1-1/2") (p) needle – 25 gauge (7/8") (q) needle – 22 gauge (1-1/2") (r) IV catheter – 14 gauge (s) IV catheter – 16 gauge (t) IV catheter – 16 gauge (t) IV catheter – 18 gauge (u) IV catheter – 20 gauge (v) IV catheter – 22 gauge (v) IV catheter – 18 gauge (v) IV catheter – 20 gauge (v) IV catheter – 18 gauge (v) IV catheter –			2
(n) Tagaderm dressing 6 (o) blunt fill needle – 18 gauge (1-1/2") 2 (p) needle – 25 gauge (7/8") 2 (q) needle – 22 gauge (1-1/2") 2 (r) IV catheter – 14 gauge 2 (s) IV catheter – 16 gauge 2 (t) IV catheter – 18 gauge 2 (u) IV catheter – 20 gauge 2 (w) IO catheter – 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 45. Cold compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard			1
(o) blunt fill needle - 18 gauge (1-1/2") 2 (p) needle - 25 gauge (7/8") 2 (q) needle - 22 gauge (1-1/2") 2 (r) IV catheter - 14 gauge 2 (s) IV catheter - 16 gauge 2 (t) IV catheter - 18 gauge 2 (u) IV catheter - 20 gauge 2 (u) IV catheter - 20 gauge 2 (v) IV catheter - 22 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 47. Safety glasses with side shields 2 pairs 4 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 52. Cardiac monitor kit, portable, including: (a) cardiac monitor kit, portable, including: (b) multi-function defibrillator (b) multi-function defibrillator (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor 1 (f) 5-lead attachment 1 (g) 12-lead attachment 1 (g) 12-lead attachment 1 (g) 12-lead attachment 1 (h) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade - MacIntosh #3 1 (e) blade - Miller #0 1 (g) blade - Miller #1 1 (h) blade - Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3		(m) tourniquets	2
(p) needle - 25 gauge (7/8") 2 (q) needle - 22 gauge (1-1/2") 2 (r) IV catheter - 14 gauge 2 (s) IV catheter - 16 gauge 2 (t) IV catheter - 18 gauge 2 (u) IV catheter - 20 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: 2 (a) cardiac monitor/defibrillator 1 <		(n) Tagaderm dressing	6
(q) needle - 22 gauge (1-1/2") 2 (r) IV catheter - 14 gauge 2 (s) IV catheter - 16 gauge 2 (t) IV catheter - 18 gauge 2 (u) IV catheter - 20 gauge 2 (v) IV catheter - 22 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: 2 (a) cardiac monitor/defibrillator 1 <td< td=""><td></td><td>(o) blunt fill needle – 18 gauge (1-1/2")</td><td></td></td<>		(o) blunt fill needle – 18 gauge (1-1/2")	
(r) IV catheter - 14 gauge 2 (s) IV catheter - 16 gauge 2 (t) IV catheter - 18 gauge 2 (u) IV catheter - 20 gauge 2 (v) IV catheter - 22 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor/defibrillator 1 (b) multi-function defibrillator electrode 2 adult size pa			
(s) IV catheter - 16 gauge 2 (t) IV catheter - 18 gauge 2 (u) IV catheter - 20 gauge 2 (v) IV catheter - 22 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: 2 (a) cardiac monitor kit, portable, including: 2 paediatric size (b) multi-function defibrillator electrode 2 paediatric size (c) disposable cardiac el			
(t) IV catheter - 18 gauge 2 (u) IV catheter - 20 gauge 2 (v) IV catheter - 22 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode 2 adult size 2 paediatric size (c) disposable cardiac electrodes 1 package of 30 			
(u) IV catheter - 20 gauge 2 (v) IV catheter - 22 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 45. Cold compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: 2 (a) cardiac monitor kit, portable, including: 2 adult size (b) multi-function defibrillator electrode 1 package of 30 (d) recorder paper (e) dispos			
(v) IV catheter - 22 gauge 2 (w) IO catheter - 18 gauge 1 (x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: 2 (a) cardiac monitor/defibrillator 1 (b) multi-function defibrillator electrode pads 2 paediatric size (c) disposable cardiac electrodes 1 package of 30 (d) recorder paper (e) disposable razor 1 (e)			
(w) IO catheter – 18 gauge (x) transport tape (y) nasal atomizer (z) alcohol swabs 39. Penlight 40. Sam splints 41. Urinal 42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment 53. Airway kit, portable, including: (a) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) Dlade – Miller #4 (i) twill tape (j) Muko lubricating jelly 3			
(x) transport tape 1 (y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: 1 (a) cardiac monitor/defibrillator 1 (b) multi-function defibrillator electrode pads 2 paediatric size (c) disposable cardiac electrodes 1 package of 30 (d) recorder paper 1 (e) disposable razor 1 (f) 5-lead attachment 1 (g) 12-lead attachment 1 1 1			
(y) nasal atomizer 1 (z) alcohol swabs 5 39. Penlight 1 40. Sam splints 1 41. Urinal 1 42. Bedpan, with toilet paper 1 43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: 1 (a) cardiac monitor/defibrillator 1 (b) multi-function defibrillator electrode pads 2 adult size (c) disposable cardiac electrodes 1 package of 30 (d) recorder paper 1 (e) disposable razor 1 (f) 5-lead attachment 1 53. Airway kit, portable, including: 1 (a) wire cutter 1 adult size (b) Magill forceps <			
(z) alcohol swabs 39. Penlight 40. Sam splints 41. Urinal 42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment (g) 12-lead attachment (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) blade – Miller #0 (g) Muko lubricating jelly 3			
39. Penlight 40. Sam splints 41. Urinal 42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 49. Sharps disposal container 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator (c) disposable cardiac electrodes pads (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment (h) Magill forceps 1 adult size 1 paediatric size		-	.
40. Sam splints 41. Urinal 42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment (g) 12-lead attachment (g) milti-forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) Muko lubricating jelly 3	20		
41. Urinal 42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment (g) 12-lead attachment (g) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) Muko lubricating jelly 3			<u> </u>
42. Bedpan, with toilet paper 43. Emesis bag 44. Hot compresses 45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (d) recorder paper (e) disposable cardiac electrodes (f) 5-lead attachment (g) 12-lead attachment (g) blade – MacIntosh #3 (e) blade – MacIntosh #3 (f) blade – MacIntosh #4 (f) blade – Miller #0 (g) blade – Miller #1 (h) blade – Miller #4 (i) twill tape (j) Muko lubricating jelly 3			1
43. Emesis bag 1 44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment (g) 12-lead attachment (g) 12-lead attachment (a) wire cutter (b) Magill forceps (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) blade – Miller #1 (h) blade – Miller #4 1 (f) Muko lubricating jelly 3			•
44. Hot compresses 2 45. Cold compresses 2 46. Disposable gloves (sizes small, medium and large) 1 box/size 47. Safety glasses with side shields 2 pairs 48. Surgical masks 4 49. Sharps disposal container 1 50. Biohazard bag 1 51. Facial tissues 1 box 52. Cardiac monitor/defibrillator 1 (a) cardiac monitor/defibrillator 1 (b) multi-function defibrillator electrode pads 2 paediatric size (c) disposable cardiac electrodes 1 package of 30 (d) recorder paper 1 (e) disposable razor 1 (f) 5-lead attachment 1 (g) 12-lead attachment 1 (a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #4 1 (h) blade – Miller #4 1 (i) Wuko lubricating jelly 3			
45. Cold compresses 46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment 10 (g) 12-lead attachment (a) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) blade – Miller #4 (i) twill tape (j) Muko lubricating jelly 3			-
46. Disposable gloves (sizes small, medium and large) 47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment (g) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (f) twill tape (j) Muko lubricating jelly 3			
and large) 47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment 1 (g) 12-lead attachment (a) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) blade – Miller #1 (h) blade – Miller #4 (i) twill tape (j) Muko lubricating jelly 3			
47. Safety glasses with side shields 48. Surgical masks 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment 1 (g) 12-lead attachment 1 53. Airway kit, portable, including: (a) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) blade – Miller #1 (h) blade – Miller #4 (i) twill tape (j) Muko lubricating jelly 3	10.		T OOM SIZE
48. Surgical masks 49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment 10 (g) 12-lead attachment 11 (g) 12-lead attachment (a) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) blade – Miller #1 (h) blade – Miller #4 (i) twill tape (j) Muko lubricating jelly 3	47.	U ,	2 pairs
49. Sharps disposal container 50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment 1 (g) 12-lead attachment 1 (a) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – MacIntosh #4 (f) blade – Miller #0 (g) blade – Miller #4 (i) twill tape (j) Muko lubricating jelly 1 box 1 1 box 1 1 box 1 1 box 1 1 adult size 1 paediatric size			
50. Biohazard bag 51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment 1 (g) 12-lead attachment (a) wire cutter (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries (d) blade – MacIntosh #3 (e) blade – Miller #0 (g) blade – Miller #4 (i) twill tape (j) Muko lubricating jelly 3			1
51. Facial tissues 52. Cardiac monitor kit, portable, including: (a) cardiac monitor/defibrillator (b) multi-function defibrillator electrode pads (c) disposable cardiac electrodes (d) recorder paper (e) disposable razor (f) 5-lead attachment (g) 12-lead attachment 1 (g) 12-lead attachment 1 (b) Magill forceps 1 adult size 1 paediatric size			1
(a) cardiac monitor/defibrillator1(b) multi-function defibrillator electrode pads2 adult size(c) disposable cardiac electrodes1 package of 30(d) recorder paper1(e) disposable razor1(f) 5-lead attachment1(g) 12-lead attachment153. Airway kit, portable, including:1(a) wire cutter1(b) Magill forceps1 adult size(c) laryngoscope handle with batteries1(d) blade – MacIntosh #31(e) blade – MacIntosh #41(f) blade – Miller #01(g) blade – Miller #11(h) blade – Miller #41(i) twill tape3(j) Muko lubricating jelly3			1 box
(a) cardiac monitor/defibrillator1(b) multi-function defibrillator electrode pads2 adult size(c) disposable cardiac electrodes1 package of 30(d) recorder paper1(e) disposable razor1(f) 5-lead attachment1(g) 12-lead attachment153. Airway kit, portable, including:1(a) wire cutter1(b) Magill forceps1 adult size(c) laryngoscope handle with batteries1(d) blade – MacIntosh #31(e) blade – MacIntosh #41(f) blade – Miller #01(g) blade – Miller #11(h) blade – Miller #41(i) twill tape3(j) Muko lubricating jelly3	52.	Cardiac monitor kit, portable, including:	
pads 2 paediatric size (c) disposable cardiac electrodes 1 package of 30 (d) recorder paper 1 (e) disposable razor 1 (f) 5-lead attachment 1 (g) 12-lead attachment 1 53. Airway kit, portable, including: 1 (a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size 1 (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1
(c) disposable cardiac electrodes 1 package of 30 (d) recorder paper 1 (e) disposable razor 1 (f) 5-lead attachment 1 53. Airway kit, portable, including: 1 (a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size 1 (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3		(b) multi-function defibrillator electrode	2 adult size
(d) recorder paper (e) disposable razor 1 (f) 5-lead attachment 1 (g) 12-lead attachment 1 53. Airway kit, portable, including: 1 (a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3		1	2 paediatric size
(e) disposable razor 1 (f) 5-lead attachment 1 (g) 12-lead attachment 1 53. Airway kit, portable, including: 1 (a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1 package of 30
(f) 5-lead attachment 1 (g) 12-lead attachment 1 53. Airway kit, portable, including: 1 (a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			
(g) 12-lead attachment 1 53. Airway kit, portable, including: 1 (a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1
53. Airway kit, portable, including: 1 (a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1
(a) wire cutter 1 (b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1
(b) Magill forceps 1 adult size 1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3	53.		
1 paediatric size (c) laryngoscope handle with batteries 1 (d) blade - MacIntosh #3 1 (e) blade - MacIntosh #4 1 (f) blade - Miller #0 1 (g) blade - Miller #1 1 (h) blade - Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			•
(d) blade – MacIntosh #3 1 (e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3		(b) Magill forceps	
(e) blade – MacIntosh #4 1 (f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3		(c) laryngoscope handle with batteries	1
(f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1
(f) blade – Miller #0 1 (g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1
(g) blade – Miller #1 1 (h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1
(h) blade – Miller #4 1 (i) twill tape 3 (j) Muko lubricating jelly 3			1
(i) twill tape 3 (j) Muko lubricating jelly 3			1
(j) Muko lubricating jelly 3			3
		(j) Muko lubricating jelly	3
		(k) stylets	1 adult size

	1 paediatric size
(l) Sterivent mini filter	1
(m) 3-way stopcock	1
(n) povidone-iodine swabs	5
(o) glucometer	1
(p) glucometer test strips	1 bottle
(q) lancets	
54. Paediatric kit, portable, including:	
(a) Broselow tape	1
(b) sterile obstetrical kit	1
(c) meconium aspirator	1
(d) bulb suction	1

EXPLANATORY NOTES

SECTION 1 provides that these regulations apply in respect of every ambulance that is used or intended to be used to provide ambulance services in the province, except an ambulance based outside the province that is used to provide for the inter-provincial transportation of patients.

SECTION 2 requires that an ambulance be staffed by at least two emergency medical technicians and that at least one shall ride in the patient section with a patient, unless medical or nursing personnel are in the patient section attending the patient and there are space limitations.

SECTION 3 sets out vehicle safety requirements for an ambulance and provides that the vehicle design requirements for an ambulance are set out in Schedule A.

SECTION 4 sets out the vehicle equipment that shall be carried in an ambulance and provides that the patient care equipment and supplies that shall be carried in an ambulance are set out in Schedule B.

SECTION 5 sets out safety requirements for equipment and supplies carried in an ambulance.

SECTION 6 requires approval from a coroner before an ambulance is used to transport human remains.

SECTION 7 sets out the required retention period for patient call reports.

SECTION 8 provides for the commencement of these regulations.

EC2013-531

EMERGENCY MEDICAL TECHNICIANS ACT DECLARATION RE

Under authority of section 16 of the *Emergency Medical Technicians Act*, Stats. P.E.I. 2012, c. 7 Council ordered that a Proclamation do issue proclaiming the said "Emergency Medical Technicians Act" to come into force effective September 1, 2013.

EC2013-532

EMERGENCY MEDICAL TECHNICIANS ACT EMERGENCY MEDICAL TECHNICIANS REGULATIONS

Pursuant to section 14 of the *Emergency Medical Technicians Act* R.S.P.E.I. 1988, Cap. E-6.11, Council made the following regulations:

Requirements for

INTERPRETATION

1. In these regulations, "Act" means the Emergency Medical Technicians Act, defined Act R.S.P.E.I. 1988, Cap. E-6.11.

EMT LICENSES

- **2.** (1) An applicant shall meet the following requirements for a license:
 - (a) successful completion of training, including both classroom and license practical experience, given in a community college program, or a comparable program, in emergency medical services that is accredited, at the time of the applicant's graduation, by the Canadian Medical Association;
 - (b) currency of knowledge and skills as indicated by one of the following:
 - (i) the applicant completed the training required by clause (a) within the two years preceding the date of the application,
 - (ii) the applicant
 - (A) practised emergency medical technology, within the two years preceding the date of the application, in relation to at least 20 patients who required emergency medical services, and (B) met any continuing education requirements of the jurisdiction where the applicant was registered during that time,
 - (iii) the applicant successfully completed the continuing education requirements set out in section 4;
 - (c) current, valid certification in cardiopulmonary resuscitation at the basic rescuer level in accordance with the standards adopted by the Heart and Stroke Foundation of Canada;
 - (d) authorization to drive an ambulance, either under a valid Class 4 driver's license issued to the applicant pursuant to the Highway Traffic Act R.S.P.E.I. 1988, Cap. H-5, or an equivalent driver's license issued to the applicant in another jurisdiction; and
 - (e) not more than 6 demerit points recorded on the applicant's driving record pursuant to the Highway Traffic Act, or equivalent legislation in another jurisdiction, in either of the 2 years preceding the application.
- (2) Notwithstanding clause (1)(a), where an applicant successfully Other training completed training but does not meet the requirements of clause (1)(a), qualifications the Board may deem the applicant's training to meet the requirements of clause (1)(a) if

 - (a) the applicant provides to the Board an assessment of the training conducted by
 - (i) the Canadian Medical Association,
 - (ii) the provider of a training program in emergency medical services that has been accredited by the Canadian Medical Association, or
 - (iii) another body approved by the Board; and
 - (b) either
 - (i) the assessor concludes, based on the assessment, that the applicant's training is equivalent in scope, content and quality to a program referred to in clause (1)(a), or
 - (ii) the applicant successfully completes, in such manner as the Board may direct, such further training as the assessor concludes is necessary, based on the assessment, for the applicant's training to be equivalent in scope, content and quality to a program referred in clause (1)(a).
- (3) Notwithstanding clause (1)(e), where an applicant had more than 6 Reduction of demerit points recorded on his or her driving record in either of the 2 demerit points years preceding the application, the applicant shall be deemed to meet the requirements of clause (1)(e) if
 - (a) the applicant has successfully completed the Canada Safety Council Defensive Driving Course; and
 - (b) the applicant's demerit points have been reduced to 6 or less.

(4) It is a condition on every license that the EMT who holds the license license shall continue to meet the requirements described in clause (1)(d)

Conditions on

(5) Where an EMT who holds a license no longer meets the Driver's license requirements of clause (1)(d) or (e), the EMT shall forthwith notify the changes Board.

3. (1) An applicant shall meet the following requirements for the renewal of a license:

Renewal of license

- (a) currency of knowledge and skills as indicated by the practise of emergency medical technology, within the 2 years preceding the date of the application, in relation to at least 10 patients who require emergency medical services;
- (b) successful completion of the continuing education requirements set out in section 4:
- (c) the requirements of clauses 2(1)(c) to (e).
- (2) An application for the renewal of a license shall be made before the license expires.

Apply to renew before expiry

(3) Notwithstanding subsection (1), where an applicant does not meet Renewal with one or more of the requirements for the renewal of a license, the Board condition may renew the license for a period of up to 12 months, on the condition that the EMT who holds the license shall, within the time period specified by the Board, meet those requirements.

(4) Notwithstanding subsection (2), the Board may accept an Renewal of expired application for the renewal of a license from an applicant whose license expired not more than three years before the date of the application.

(5) Where the Board approves an application for the renewal of a Conditions on license made by an applicant whose license expired less than a year license before the date of the application, it is a condition of the license issued to the applicant that he or she shall, within 60 days of the date the license is issued.

- (a) practise emergency medical technology in relation to at least 10 patients who require emergency medical services; and
- (b) complete the continuing education requirements set out in section
- (6) Where the Board approves an application for the renewal of a Idem license made by an applicant whose license expired one to three years before the date of the application, it is a condition of the license issued to the applicant that he or she shall, within six months of the date the license is issued.

(a) complete at least 420 hours of supervised training approved by the Board at the license level he or she held prior to the expiry of

- (b) practise emergency medical technology in relation to at least 75 patients, at least 15 of whom require emergency medical services: and
- (c) complete the continuing education requirements set out in section 4.

(7) Notwithstanding subsections (5) and (6), where a licensee has Extension of time to commenced, but not completed, the requirements set out in subsection meet conditions (5) or (6) within the time periods specified, the Board may extend the time period for the completion of the requirements by up to three months.

(8) In subsection (6), "supervised training" means on-the-job training "supervised under the direct supervision of an EMT who is a licensee or who holds an training", defined equivalent license or registration in another province or territory.

CONTINUING EDUCATION

4. (1) An EMT who holds a license shall earn at least 20 continuing Continuing education units within each two-year period defined by the Board, subject to pro-ration.

education units

(2) Subject to subsection (3), continuing education units may be Earning continuing earned as follows:

- (a) one continuing education unit per hour of attendance for the successful completion of a course, or a component of a course, approved by the Board;
- (b) two continuing education units per hour of instruction for instructing a course approved by the Board;
- (c) two continuing education units for acting as a preceptor to a student or another EMT for 1 to 3 months;
- (d) four continuing education units for acting as a preceptor to a student or another EMT for more than 3 months.

(3) A maximum of 4 continuing education units may be earned for the successful completion, or teaching, of recertification courses in Recertification cardiopulmonary resuscitation and defibrillation.

- (4) The Board may approve a course in any of the following subject Course subjects areas:
 - (a) professional responsibilities;
 - (b) communication;
 - (c) health and safety;
 - (d) assessment and diagnostics;
 - (e) therapeutics;
 - (f) integration;
 - (g) transportation;
 - (h) health promotion and public safety.
- (5) Each continuing education unit earned may only be counted Continuing towards the requirements in subsection (1) once.

(6) An EMT who holds a license shall keep a complete and accurate Record record of continuing education units earned and shall provide the record to the Board on request.

education unit

SCOPE AND STANDARDS OF EMT PRACTICE

5. (1) The levels of license are as follows:

Levels of license

- (a) EMT, Level I;
- (b) EMT, Level II;
- (c) EMT, Level III.
- (2) The minimum competencies and scope of practice for each level of Minimum license pertaining to the areas of assessment and diagnostics, and competencies per therapeutics and integration, are set out in Schedule I.

(3) The performance by an EMT of the competencies set out in Performance of Schedule I is subject to

subject to

- (a) the level of license held by the EMT;
- (b) any conditions on the license held by the EMT;
- (c) additional procedures approved by the Board in accordance with subsection 7(5) of the Act; and
- (d) the protocols established by the Ambulance Services Director under clause 3(2)(b) of the Ambulance Services Act R.S.P.E.I. 1988, Cap. A-10.01.
- (4) The minimum competencies for all EMTs who hold a license, Minimum pertaining to the following areas are set out in Schedule II:

competencies for all **EMTs**

- (a) professional responsibilities;
- (b) communication;
- (c) health and safety;
- (d) transportation;
- (e) health promotion and public safety.

MISCONDUCT

6. (1) For the purposes of subclause 1(1)(i)(v) of the Act, the following Misconduct conduct by an EMT is misconduct:

(a) purporting to have qualifications or expertise that the EMT does not have;

- (b) attempting to deal with a patient's condition in a manner that is beyond the scope of the EMT's training;
- (c) failing to comply with the directions of the medical advisor for an ambulance operation or the medical practitioner responsible for the patient's care;
- (d) assigning another person, who is subject to the EMT's direction, responsibilities that are outside that other person's qualifications;
- (e) failing to maintain the standards of practice for EMTs adopted or prescribed by these regulations;
- (f) engaging in EMT practice while under the influence of drugs (prescription or non-prescription) or other substances that the EMT should know could have an adverse effect on the EMT's performance:
- (g) abuse of, harassment of or offensive behaviour toward a patient;
- (h) falsifying patient records or omitting, what is in the opinion of the Board, significant information respecting a patient or services provided or not provided to the patient;

- (i) disclosing information to unauthorized persons respecting the condition of a patient or services provided to a patient, except where necessary to provide emergency medical services or other health services to the patient; or
- (j) acting in conflict of interest, within the meaning of subsection (2).
- (2) Conflict of interest occurs in any situation where an EMT attempts Conflict of interest to promote the private or personal interests of the EMT or another person that actually or apparently

- (a) interfere with the objective exercise of the duties of the EMT; or
- (b) interfere with patient or public safety.

DISCLOSURE OF INFORMATION

7. Where, following a hearing, the Board imposes a condition on, Disclosure suspends, or revokes, the license of an EMT, the Board, with respect to permitted and required the actions taken by the Board and the reasons therefore,

- (a) may post information on the website operated by the Board;
- (b) may inform
 - (i) the Minister, and
 - (ii) any other regulatory body that requests information respecting the disciplinary history of the EMT; and
- (c) shall inform
 - (i) the EMT's employer, and
 - (ii) any other person the Board considers necessary to prevent unauthorized practice by the EMT.

MISCELLANEOUS

- 8. The fee for the issuance or renewal of a license is \$100, payable to the Fee Minister of Finance, Energy and Municipal Affairs.
- 9. The Emergency Medical Services Regulations (EC472/00) are Revocation revoked.
- **10.** These regulations come into force on September 1, 2013.

Commencement

SCHEDULE I

MINIMUM COMPETENCIES AND SCOPE OF PRACTICE: ASSESSMENT AND DIAGNOSTICS THERAPEUTICS AND INTEGRATION

	EMT
	level
1. ASSESSMENT AND DIAGNOSTICS	
1.1 Conduct triage	
(a) rapidly assess a scene based on the principles of a	All
triage system	
(b) assume different roles in a mass casualty incident	All
(c) manage a mass casualty incident	All
1.2 Obtain patient history	
(a) obtain list of patient's allergies	All
(b) obtain list of patient's medications	All
(c) obtain chief complaint and/or incident history from	All
patient, family members, and/or bystanders	
(d) obtain information regarding patient's past medical	All
history	
(e) obtain information about patient's last oral intake	All
(f) obtain information regarding incident through	All
accurate and complete scene assessment	
1.3 Conduct complete physical assessment demonstrating	
appropriate use of inspection, palpation, percussion	
and auscultation, and interpret findings	

(a) conduct primary patient assessment and interpret	All
findings (b) conduct secondary patient assessment and interpret findings	All
(c) conduct cardiovascular system assessments and interpret findings	All
(d) conduct neurological system assessments and interpret findings	All
(e) conduct respiratory system assessments and interpret findings	All
(f) conduct obstetrical assessments and interpret findings	All
(g) conduct gastrointestinal system assessments and interpret findings	All
(h) conduct genitourinary system assessments and interpret findings	All
(i) conduct integumentary system assessments and interpret findings	All
(j) conduct musculoskeletal assessments and interpret findings	All
(k) conduct assessment of the immune system and interpret findings	All
(l) conduct assessment of the endocrine system and interpret findings	All
(m) conduct assessment of the eyes, ears, nose and throat and interpret findings	All
(n) conduct multisystem assessment and interpret findings	All
(o) conduct neonatal assessments and interpret findings	All
(p) conduct psychiatric assessments and interpret findings	All
(q) conduct pediatric assessment and interpret findings	All
(r) conduct geriatric assessment and interpret findings	All
(s) conduct bariatric assessment and interpret findings	All
1.4 Assess vital signs	
(a) assess pulse	All
(b) assess respiration	All
(c) conduct non-invasive temperature monitoring	All
(d) measure blood pressure by auscultation	All
(e) measure blood pressure by palpation	All
(f) measure blood pressure with non-invasive blood	All
pressure monitor	1 111
(g) assess skin condition	All
(h) assess pupils	All
(i) assess level of consciousness	All
1.5 Utilize diagnostic tests	
(a) conduct oximetry testing and interpret findings	All
(b) conduct end-tidal CO2 monitoring and interpret findings	II ¹ , III
(c) conduct glucometric testing and interpret findings	All
(d) conduct peripheral venipuncture	II, III
(e) obtain arterial blood samples via radial artery puncture	N/A
(f) obtain arterial blood samples via arterial line access	N/A
(g) conduct invasive core temperature monitoring and	N/A
interpret findings	11/7
(h) conduct pulmonary artery catheter monitoring and interpret findings	N/A
(i) conduct central venous pressure monitoring and interpret findings	N/A
(j) conduct arterial line monitoring and interpret findings	N/A
(k) interpret lab and radiological data	III
(1) conduct 3-lead electrocardiogram (ECG) and	All
interpret findings	
(m) obtain and transmit 12-lead electrocardiogram	All

1 for confirmation of tracheal intubation placement (by colorimetric evaluation of end-tidal carbon dioxide).

(n) interpret findings of 12-lead electrocardiogram (o) conduct urinalysis by macroscopic method III 2. THERAPEUTICS 2.1 Maintain patency of upper airway and trachea (a) use manual maneuvers and positioning to maintain airway patency (b) suction oropharynx All (c) suction beyond oropharynx All (d) use oropharyngeal airway All (e) use nasopharyngeal airway All (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) All (j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy III (n) conduct surgical cricothyroidotomy III (n) conduct surgical cricothyroidotomy III (n) rapid sequence intubation N/A 2.2 Prepare oxygen delivery devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions All (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen administer manual ventilation (a) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using low concentration mask (d) administer oxygen using pocket mask All (e) administer oxygen using high concentration mask (d) administer oxygen using pocket mask All (e) administer oxygen using pocket mask All (e) administer oxygen using pocket mask All (e) administer oxygen using pocket mask All (f) administer oxygen using pocket mask All (e) administer oxygen using bigh concentration mask (d) administer oxygen using pocket mask All (e) administer oxygen using bigh concentration mask (d) administer oxygen using over one of the original peripheral IV access devices and infusions (e) conduct peripheral IV access devices and infusions (f) conduct tartion peripheral IV canualtation (g) use direct pressure		
2.THERAPEUTICS 2.1 Maintain patency of upper airway and trachea (a) use manual maneuvers and positioning to maintain airway patency (b) suction oropharynx (c) suction beyond oropharynx II, III (d) use oropharyngeal airway (e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) All (i) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (m) rapid sequence intubation (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) drecognize the indications for oxygen administration (b) take appropriate safety precautions (c) use portable oxygen delivery systems (e) use portable oxygen delivery systems (e) use portable oxygen delivery systems (e) use portable oxygen using nasal cannula (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (d) administer oxygen using nasal cannula (a) aminister oxygen using pocket mask All (c) administer oxygen using pocket mask All (c) administer oxygen using pocket mask All (c) administer oxygen using pocket mask All (c) prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvave-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation (d) provide mechanical ventilation (e) manula menula me	(n) interpret findings of 12-lead electrocardiogram	III
(a) use manual maneuvers and positioning to maintain airway patency (b) suction oropharynx (c) suction beyond oropharynx (d) use oropharyngeal airway (e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (j) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (l) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) take appropriate safety precautions (a) arecognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using nasal cannula (c) administer oxygen using pocket mask (d) administer oxygen using low concentration mask (d) administer oxygen using pocket mask (e) administer oxygen using pocket mask (d) administer oxygen using high concentration mask (e) administer oxygen using high concentration mask (e) administer oxygen using bigh concentration mask (f) provide oxygenation and ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) provide mechanical ventilation (e) use direct pressure indications for mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) (a) for crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) co	(o) conduct urinalysis by macroscopic method	III
(a) use manual maneuvers and positioning to maintain airway patency (b) suction oropharynx (c) suction beyond oropharynx (d) use oropharyngeal airway (e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (j) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (l) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) take appropriate safety precautions (a) arecognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using nasal cannula (c) administer oxygen using pocket mask (d) administer oxygen using low concentration mask (d) administer oxygen using pocket mask (e) administer oxygen using pocket mask (d) administer oxygen using high concentration mask (e) administer oxygen using high concentration mask (e) administer oxygen using bigh concentration mask (f) provide oxygenation and ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) provide mechanical ventilation (e) use direct pressure indications for mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) (a) for crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) co		
(a) use manual maneuvers and positioning to maintain airway patency (b) suction oropharynx (c) suction beyond oropharynx (d) use oropharyngeal airway (e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (g) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (g) use airway foreign bodies (AFB) (h) use airway foreign bodies (AFB) (l) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) take appropriate safety precautions (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply All (d) recognize different types of oxygen delivery systems (e) use portable oxygen using nasal cannula (e) administer oxygen using low concentration mask (d) administer oxygen using low concentration mask (d) administer oxygen using low concentration mask (d) administer oxygen using pocket mask All (e) administer oxygen using pocket mask (d) provide oxygenation and ventilation equipment (a) provide oxygenation and ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) conduct cardiopulmonary resuscitation (CPR) (d) maintain periph		
airway patency (b) suction oropharynx (c) suction beyond oropharynx (d) use oropharyngeal airway (d) use oropharyngeal airway (e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct surgical cricothyroidotomy (m) rapid sequence intubation 2.2 Prepare oxygen delivery devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems All 2.3 Deliver oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using high concentration mask (d) administer oxygen using pocket mask All 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) provide mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) All 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) All (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) admin		
(b) suction oropharynx (c) suction beyond oropharynx (d) use oropharyngeal airway (e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (l) remove airway foreign bodies (AFB) (l) remove foreign body by direct techniques (l) remove foreign body by direct techniques (l) remove airway foreign bodies (AFB) (l) remove foreign body by direct techniques (l) remove airway foreign body by direct techniques (li) remove foreign body by direct techniques (li) li	•	All
(c) suction beyond oropharynx (d) use oropharyngeal airway (e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (i) remove airway foreign bodies (AFB) (i) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct and surgical cricothyroidotomy (l) conduct cardiopus devices (a) recognize delivery devices (b) administer oxygen using nasal cannula (c) use portable oxygen delivery systems (d) administer oxygen using nasal cannula (e) use portable oxygen using nasal cannula (g) administer oxygen using pocket mask (l) administer oxygen using sontrolled concentration mask (l) administer oxygen using pocket mask (l) provide oxygenation and ventilation using bag- valve-mask (l) provide mechanical ventilation equipm		4.11
(d) use oropharyngeal airway (e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (l) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct andivation for oxygen administration (a) alminister oxygen using low coxygen delivery systems (c) use portable oxygen delivery systems (e) use portable oxygen delivery systems (a) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using power manual acannula (e) administer oxygen using high concentration mask (e) administer oxygen using pocket mask All (e) administer oxygen using pocket mask All (e) administer oxygen using high concentration mask (b) recognize indications for mechanical ventilation (l) provide mechanic		
(e) use nasopharyngeal airway (f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (j) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (j) remove airway foreign bodies (AFB) All (j) remove foreign body by direct techniques (j) remove foreign body by direct techniques (j) remove airway foreign bodies (AFB) All (j) remove airway foreign bodies (AFB) All (j) remove foreign body by direct techniques (j) remove airway foreign bodies (AFB) All (j) remove airway foreign bodies (AFB) All (j) conduct and popurations for oxygen administration (a) recognize different types of oxygen delivery systems All (e) administer oxygen using nasal cannula (g) administer oxygen using nasal cannula (g) administer oxygen using low concentration mask (d) administer oxygen using pocket mask All (e) administer oxygen using pocket mask All (e) administer oxygen using pocket mask All (e) administer oxygen using pigh concentration mask (d) administer oxygen using pigh concentration mask (e) use diminister oxygen using pigh concentration mask (e) use diminister oxygen using pigh concentration mask (g) remover foreign benefit or technical ventilation (g) provide oxygenation and ventilation equipment (g) provide oxygenation and ventilation equipment (g		
(f) use airway devices not requiring visualization of vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct surgical cricothyroidotomy (m) rapid sequence intubation 2.2 Prepare oxygen delivery devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems (e) use portable oxygen delivery systems (a) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using controlled concentration mask (d) administer oxygen using pocket mask All (e) prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bag-valve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation (d) provide mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) All (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV access devices and infusions (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and non-crystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated		
vocal cords, and not introduced endotracheally (g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) conduct cardiopulation (l) take appropriate safety devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems (e) use portable oxygen using nasal cannula (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using pocket mask (d) administer oxygen using pocket mask (e) administer oxygen using pocket mask (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) provide mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion dev		
(g) use airway devices not requiring visualization of vocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (m) rapid sequence intubation 2.2 Prepare oxygen delivery devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems (e) use portable oxygen delivery systems (a) administer oxygen using low concentration mask (b) administer oxygen using low concentration mask (d) administer oxygen using low concentration mask (d) administer oxygen using pocket mask 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation (e) prepare mechanical ventilation (f) conduct cardiopulmonary resuscitation (CPR) (d) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV cannulation (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions of crystalloid solutions without additives (e) conduct automated and semiautomated external defibrillation (f) conduct automated and semiautomated external defibrillation (g) conduct cardioversion (g) conduct cardioversi		All
wocal cords, and introduced endotracheally (h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (j) remove foreign body by direct persuant per persuant persuant per persuant pe		All
(h) use airway devices requiring visualization of vocal cords, and introduced endotracheally (i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (l) consure adequacy of oxygen administration (l) take appropriate safety precautions (l) take appropr		
(i) remove airway foreign bodies (AFB) (j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (m) rapid sequence intubation 2.2 Prepare oxygen delivery devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems (e) use portable oxygen delivery systems (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using pocket mask (e) administer oxygen using pocket mask (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) provide mechanical ventilation (c) prepare mechanical ventilation (c) prepare mechanical ventilation (d) a conduct cardiopulmonary resuscitation (CPR) (d) conduct cardiopulmonary resuscitation (CPR) (e) conduct peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain peripheral IV access devices and infusions (e) conduct peripheral IV access devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (ii) administer blood and blood products (iii) administer blood and semiautomated external defibrillation (k) conduct manual defibrillation (III) (l) conduct cardioversion		II, III
(j) remove foreign body by direct techniques (k) conduct percutaneous needle cricothyroidotomy (l) conduct surgical cricothyroidotomy (m) rapid sequence intubation N/A 2.2 Prepare oxygen delivery devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen using nasal cannula (d) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using controlled concentration mask (e) administer oxygen using pocket mask (e) administer oxygen using pocket mask (f) administer oxygen using pocket mask (g) provide oxygenation and ventilation using bagvalve-mask (h) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) provide mechanical ventilation (c) prepare mechanical ventilation (g) use direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV access devices and infusions (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (i) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III (l) conduct cardioversion	cords, and introduced endotracheally	
(k) conduct percutaneous needle cricothyroidotomy (I) conduct surgical cricothyroidotomy (II) (m) rapid sequence intubation 2.2 Prepare oxygen delivery devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen using nasal cannula (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (d) administer oxygen using controlled concentration mask (d) administer oxygen using pocket mask (e) administer oxygen using pocket mask (e) administer oxygen using pocket mask (f) aprovide oxygenation and ventilation using bagvalve-mask (g) recognize indications for mechanical ventilation (g) prepare mechanical ventilation equipment (g) provide mechanical ventilation (g) prepare mechanical ventilation (g) use direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV access devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (i) conduct untomated and semiautomated external defibrillation (ii) conduct cardioversion III (ii) conduct cardioversion III (iii) conduct cardioversion III (iii) conduct cardioversion		
(I) conduct surgical cricothyroidotomy (m) rapid sequence intubation (propriet sequence) (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen using nasal cannula (d) administer oxygen using nasal cannula (e) administer oxygen using low concentration mask (d) administer oxygen using low concentration mask (d) administer oxygen using controlled concentration mask (e) administer oxygen using pocket mask (e) administer oxygen using pocket mask (f) administer oxygen using pocket mask (h) recognize indications for mechanical ventilation (f) provide oxygenation and ventilation using bagvalve-mask (h) recognize indications for mechanical ventilation (f) propare mechanical ventilation (f) propare mechanical ventilation (f) (g) prepare mechanical ventilation (f) (g) prepare mechanical ventilation (f) (g) (g) (g) (g) (g) (g) (g) (g) (g) (g		
(m) rapid sequence intubation 2.2 Prepare oxygen delivery devices (a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply All (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems All 2.3 Deliver oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask All (c) administer oxygen using low concentration mask (d) administer oxygen using bigh concentration mask (e) administer oxygen using pocket mask All 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation (d) provide mechanical ventilation (d) provide mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) All (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (ii) administer blood and blood products (ii) conduct untomated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion		
(a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply All (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems All 2.3 Deliver oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using low concentration mask (e) administer oxygen using pocket mask All (e) administer oxygen using high concentration mask (d) administer oxygen using pocket mask All (e) administer oxygen using pocket mask All (e) administer oxygen using pocket mask All (f) recognize indications for mechanical ventilation (g) prepare mechanical ventilation equipment (g) provide oxygenation and ventilation using bagvalve-mask (h) recognize indications for mechanical ventilation (g) prepare mechanical ventilation (g) repare mechanical ventilation (g) recognize indications for mechanical ventilation (g) conduct cardiopulmonary resuscitation (CPR) All (h) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (ii) administer blood and blood products (iii) administer blood and blood products (iii) administer blood and blood products (iii) administer blood and blood products (iiii) conduct cardioversion III (l) conduct cardioversion		
(a) recognize the indications for oxygen administration (b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems (a) administer oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using controlled concentration mask (d) administer oxygen using figh concentration mask (e) administer oxygen using pocket mask (d) administer oxygen using pocket mask (e) administer oxygen using pocket mask (f) recognize indications for mechanical ventilation (g) prepare mechanical ventilation equipment (g) prepare mechanical ventilation equipment (g) provide mechanical ventilation (g) prepare mechanical ventilation (g) conduct cardiopulmonary resuscitation (CPR) (h) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (ii) administer blood and blood products (iii) conduct automated and semiautomated external defibrillation (k) conduct cardioversion III (l) conduct cardioversion III (l) conduct cardioversion		N/A
(b) take appropriate safety precautions (c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems All 2.3 Deliver oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using low concentration mask (d) administer oxygen using high concentration mask (e) administer oxygen using high concentration mask (e) administer oxygen using pocket mask All 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation (d) provide mechanical ventilation (d) provide mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) All (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct cardioversion III (l) conduct cardioversion III (l) conduct cardioversion		
(c) ensure adequacy of oxygen supply (d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems All 2.3 Deliver oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using controlled concentration mask (d) administer oxygen using high concentration mask (e) administer oxygen using pocket mask All 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation (d) provide mechanical ventilation (e) propare mechanical ventilation (g) ressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (ii) administer blood and semiautomated external defibrillation (k) conduct cardioversion III (l) conduct cardioversion		
(d) recognize different types of oxygen delivery systems (e) use portable oxygen delivery systems All 2.3 Deliver oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using controlled concentration mask (d) administer oxygen using high concentration mask (e) administer oxygen using pocket mask All 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation (d) provide mechanical ventilation (d) provide mechanical ventilation (d) provide mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (ii) administer blood and semiautomated external defibrillation (k) conduct cardioversion III (l) conduct cardioversion III (l) conduct cardioversion III (l) conduct cardioversion III (l) conduct cardioversion		
(e) use portable oxygen delivery systems 2.3 Deliver oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using controlled concentration mask (d) administer oxygen using high concentration mask (e) administer oxygen using pocket mask 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation (d) provide mechanical ventilation (e) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct cardioversion III (l) conduct cardioversion III (l) conduct cardioversion		
2.3 Deliver oxygen and administer manual ventilation (a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using controlled concentration mask (d) administer oxygen using high concentration mask (e) administer oxygen using high concentration mask (e) administer oxygen using pocket mask 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation (d) provide mechanical ventilation 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct tandioversion III (l) conduct cardioversion III (l) conduct cardioversion		
(a) administer oxygen using nasal cannula (b) administer oxygen using low concentration mask (c) administer oxygen using controlled concentration mask (d) administer oxygen using high concentration mask (e) administer oxygen using pocket mask All 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation (d) provide mechanical ventilation (e) prepare mechanical ventilation (f) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct cardioversion III (l) conduct cardioversion III (l) conduct cardioversion III		All
(b) administer oxygen using low concentration mask (c) administer oxygen using controlled concentration mask (d) administer oxygen using high concentration mask (e) administer oxygen using pocket mask All 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation (e) prepare mechanical ventilation (g) recognize indications for mechanical ventilation (g) conduct cardiopulmonary resuscitation (CPR) (h) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation (III) (l) conduct cardioversion III		A 11
(c) administer oxygen using controlled concentration mask (d) administer oxygen using high concentration mask (e) administer oxygen using pocket mask All 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation equipment (d) provide mechanical ventilation III 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III		
mask (d) administer oxygen using high concentration mask (e) administer oxygen using pocket mask 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation (e) prepare mechanical ventilation III 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (f) conduct peripheral IV cannulation (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion		
(e) administer oxygen using pocket mask 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct cardioversion III (l) conduct cardioversion III		1 111
(e) administer oxygen using pocket mask 2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct cardioversion III (l) conduct cardioversion III	(d) administer oxygen using high concentration mask	All
2.4 Prepare mechanical ventilation equipment (a) provide oxygenation and ventilation using bagvalve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III		
valve-mask (b) recognize indications for mechanical ventilation (c) prepare mechanical ventilation equipment (d) provide mechanical ventilation 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion	2.4 Prepare mechanical ventilation equipment	
(c) prepare mechanical ventilation equipment (d) provide mechanical ventilation 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) All (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation All (f) conduct intraosseous needle insertion III (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III		All
(c) prepare mechanical ventilation equipment (d) provide mechanical ventilation 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) All (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation All (f) conduct intraosseous needle insertion III (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III	(b) recognize indications for mechanical ventilation	III
(d) provide mechanical ventilation III 2.5 Implement measures to maintain hemodynamic stability (a) conduct cardiopulmonary resuscitation (CPR) All (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation All (f) conduct intraosseous needle insertion III (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III		III
(a) conduct cardiopulmonary resuscitation (CPR) (b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion		III
(b) control external hemorrhage through use of direct pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion	2.5 Implement measures to maintain hemodynamic stability	
pressure and patient positioning (c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion III (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III		
(c) maintain peripheral IV access devices and infusions of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III		All
of crystalloid solutions without additives (d) maintain central IV access devices and infusions (e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion III		
(e) conduct peripheral IV cannulation (f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion		All
(f) conduct intraosseous needle insertion (g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion	(d) maintain central IV access devices and infusions	III^2
(g) use direct pressure infusion devices with intravenous infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion		
infusions (h) administer volume expanders (colloid and noncrystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation III (l) conduct cardioversion		
crystalloid) (i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation (l) conduct cardioversion III		III
(i) administer blood and blood products (j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation (l) conduct cardioversion III		III
(j) conduct automated and semiautomated external defibrillation (k) conduct manual defibrillation (l) conduct cardioversion III		III^3
defibrillation (k) conduct manual defibrillation (l) conduct cardioversion III		
(l) conduct cardioversion III	•	
(m) conduct transcutaneous pacing III		
(n) maintain transvenous pacing N/A		
(o) maintain intra-aortic balloon pumps N/A		
(p) provide routine care for patient with urinary catheter All		
(q) provide routine care for patient with ostomy drainage system		All

² for maintenance of an existing infusion ³ for maintenance of an existing infusion

(r) provide routine care for patient with non-catheter urinary drainage system (s) monitor chest tubes (t) conduct needle thoracostomy (u) conduct oral and nasogastric tube insertion (V) conduct urinary catheterization (III 2.6 Provide basic care for soft tissue injuries (a) treat soft tissue injuries (b) treat burn (c) treat eye injury (d) treat penetration wound (e) treat local cold injury All (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving any appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (a) administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iv) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 50% (xi) Diazepam (Valium) (xi) Diphenhydramine (Benadryl) (xii) Dipmenhydrianiae (Gravol) (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiii) Haloperidol (Haldol) (xiii) Haloperidol (Haldol) (xiii) Haparin (xiii) Magnesium Sulphate (xiii) Caxis and anaesthetic Eye Drops (Tetracaine) (xiii) Parinerara Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN) (iv) Potassium Chloride (iii) Parineraral Rutrition (PPN) and Total Parenteral Nutrition (TPN) (iv) Potassium Chloride (iii) Parineraral Rutrition (PPN) and Total Parenteral Nutrition (TPN) (iv) Potassium Chloride (iii) Parineraral Rutrition (PPN) and Total Parenteral Nutrition (TPN) (iv) Potassium Chloride (iii) Parineraral Coloride (iii)		
(s) monitor chest tubes (t) conduct needle thoracostomy (t) conduct oral and nasogastric tube insertion (t) conduct oral and nasogastric tube insertion (t) conduct urinary catheterization 2.6 Provide basic care for soft tissue injuries (a) treat soft tissue injuries (b) treat burn (c) treat eye injury (d) treat penetration wound (e) treat local cold injury All (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving appendicular skeleton (c) reduce fractures and dislocations (a) administer medications (a) administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) All (ii) Adenosine III (iii) Admodarone IIII (iv) Atropine (v) Bicarb (Sodium Bicarbonate) III (vi) Calcium Chloride (CaCL2) III (vii) Dextrose 5% in water (D5W) All (xi) Diazepam (Valium) (x) Dimenhydramine (Benadryl) All (xii) Dopamine III (xii) Epinephrine (Adrenaline) All (xiii) Epinephrine (Adrenaline) All (xiv) Furosemide (Lasix) III (xvi) Furosemide (Lasix) III (xvi) Furosemide (Lasix) III (xxi) Interprine (Adrenaline) III (xxi) Interprine (Interprine) III (xxi) Interprine (Inte	(r) provide routine care for patient with non-catheter	All
(t) conduct needle thoracostomy (u) conduct oral and nasogastric tube insertion (v) conduct urinary catheterization 2.6 Provide basic care for soft tissue injuries (a) treat soft tissue injuries (a) treat soft tissue injuries (b) treat burn (c) treat eye injury All (d) treat penetration wound (e) treat local cold injury All (f) provide routine wound care All (p) provide routine wound care (a) immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (a) administer medications (a) administer medications (a) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Adenosine (iii) Adenosine (iv) Atropine (v) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 50% All (xii) Diapenm (Valium) (xi) Dimenhydrinate (Gravol) All (xi) Diapenm (Valium) (xii) Epinephrine (Adrenaline) (xiii) Hapograidol (Haldol) (xiii) Hapograidol (Haldol) (xiii) Hapograidol (Haldol) (xiii) Magnesium Sulphate (xiii) (xiiii) Magnesium Sulphate (xiii) Magnesium Sulphate (xiii) Magnesium		
(u) conduct oral and nasogastric tube insertion (v) conduct urinary catheterization (v) conduct urinary catheterization (a) treat soft tissue injuries (b) treat burn (c) treat eye injury All (c) treat eye injury All (d) treat penetration wound (e) treat local cold injury (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize auspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (d) daminister the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Aminister the following medications: (i) Acetylsalicylic Acid (ASA) (iii) Adenosine (iii) Aminidarone (iii) Aminidarone (iii) Amiodarone (iii) Inf. III (xii) Deparine (xiii) Deparine (xiii) Deparine (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiii) Inf. III (xii) Infatropium (Atrovent) (xii) Inf. III (xii) Infatropium (Atrovent) (xiii) Inf. III (xiii) Infatropium (Atrovent) (xiii) Inf. III (xiii) Magaesium Sulphate (xiii) (xiii) Midazolam (Versed) (xiii) Inf. III (xiii) Midazolam (Versed) (xiii) Inf. III (xiii) Pripheral Parenteral Nutrition (PPN) and Total (xiii) Pripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	(s) monitor chest tubes	III
(v) conduct urinary catheterization 2.6 Provide basic care for soft tissue injuries (a) treat soft tissue injuries (b) treat burn (c) treat eye injury All (d) treat penetration wound (e) treat local cold injury All (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving appendicular skeleton (c) reduce fractures and dislocations (a) administer medications (a) administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine III (iii) Adnosine III, III (iv) Atropine (v) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) III (vi) Dextrose 5% in water (D5W) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (xi) Diphenhydramine (Gravol) (xi) Diphenhydramine (Benadryl) (xi) Opamine (xii) Epinephrine (Adrenaline) (xiv) Furosemide (Lasix) III (xv) Furosemide (Lasix) III (xv) Gucagon (xvi) Haloperidol (Haldol) III (xxi) Haparin (xxi) Imparine (Atrovent) (xxi) Imparine (Atrovent) (xxi) Imparine (Atrovent) (xxi) Magnesium Sulphate III (xxi) Magnesium Sulphate III (xxi) Midazolam (Versed) (xxii) Franexamic Acid (II) (xxii) Pariopharal Anaesthetic Eye Drops (Tetracaine) All (xxxii) Tranexamic Acid (II) Hartininine (II) Hartininine (III) Hartinininine (III) Hartinininine (I	(t) conduct needle thoracostomy	III
2.6 Provide basic care for soft tissue injuries All (a) treat soft tissue injuries All (b) treat burn All (c) treat eye injury All (d) treat penetration wound All (e) treat local cold injury All (f) provide routine wound care All 2.7 Immobilize actual and suspected fractures All (a) immobilize suspected fractures involving axial skeleton All (b) immobilize suspected fractures involving axial skeleton III (c) reduce fractures and dislocations III 2.8 Administer medications III (a) administer the following medications: III (i) Acetylsalicylic Acid (ASA) All (ii) Adenosine III (iii) Adenosine III (iii) Adenosine III- (iv) Atropine III-, III (vi) Calcium Chloride (CaCL2) III (vi) Dextrose 5% in water (D5W) All (vii) Dextrose 5% in water (D5W) All (xi) Dimenhydrinate (Gravol) All (xi) Dipenhydramine (Benadryl) All	(u) conduct oral and nasogastric tube insertion	III
2.6 Provide basic care for soft tissue injuries All (a) treat soft tissue injuries All (b) treat burn All (c) treat eye injury All (d) treat penetration wound All (e) treat local cold injury All (f) provide routine wound care All 2.7 Immobilize actual and suspected fractures All (a) immobilize suspected fractures involving axial skeleton All (b) immobilize suspected fractures involving axial skeleton III (c) reduce fractures and dislocations III 2.8 Administer medications III (a) administer the following medications: III (i) Acetylsalicylic Acid (ASA) All (ii) Adenosine III (iii) Adenosine III (iii) Adenosine III- (iv) Atropine III-, III (vi) Calcium Chloride (CaCL2) III (vi) Dextrose 5% in water (D5W) All (vii) Dextrose 5% in water (D5W) All (xi) Dimenhydrinate (Gravol) All (xi) Dipenhydramine (Benadryl) All	(v) conduct urinary catheterization	III
(a) treat soft tissue injuries (b) treat burn (c) treat eye injury (d) treat penetration wound (e) treat local cold injury (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations 2.8 Administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Adinodarone (iii) Amiodarone (iii) Amiodarone (iii) (v) Atropine (v) Bicarb (Sodium Bicarbonate) (vii) Dextrose 5% (iii) Opatriose 5% (iii) Opatriose 5% (ix) Diazepam (Valium) (ix) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dephenhydramine (Benadryl) (xii) Epinephrine (Adrenaline) (xii) Fentanyl (xii) Fentanyl (xii) Haloperidol (Haldol) (xii) Haloperidol (Haldol) (xii) Haloperidol (Magnesium Sulphate (xxii) Metoclopromide (xxii) Metoclopromide (xxii) Midazolam (Versed) (xxii) Mognesium Sulphate		
(b) treat burn (c) treat eye injury All (d) treat penetration wound (d) treat penetration wound (e) treat local cold injury All (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (i) reduce fractures and dislocations (a) administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Adenosine (iii) Adinodarone (iv) Atropine (vi) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (xi) Diiapepam (Valium) (xi) Diiapepam (Valium) (xi) Diphenhydramine (Benadryl) (xii) Diphenhydramine (Benadryl) (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xiv) Fentanyl (xiv) Fentanyl (xiv) Fentanyl (xiv) Haloperidol (Haldol) (xivi) Haparin (xixi) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Caxvi Notropine (xxiii) Midazolam (Versed) (xxiii) Caxvi Notropine (xxiii) Midazolam (Versed) (xxiii) Franexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics (ii) Parioprazole (iii) Parioprazole (iii) Parioprazole (iii) Parioprazole (iii) Parioprazole (iii) Parioprazole (iii) Parioprazole (iiii) Anidocolam (Urron) (iiii) Parioprazole (iiiii) Parioprazole (iiiii) Parioprazole (iiiiii) Parioprazole (iiiiiii) Parioprazole (iiiiiiii) Parioprazole (iiiiiiiiiiiiiii	Ç	A11
(c) treat eye injury (d) treat penetration wound (e) treat local cold injury (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations 2.8 Administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Adenosine (iii) Adropine (iv) Atropine (iv) Atropine (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (xi) Diazepam (Valium) (xi) Diphenhydramine (Benadryl) (xii) Depamine (xiii) Epinephrine (Adrenaline) (xii) Epinephrine (Adrenaline) (xii) Fentanyl (xvi) Glucagon (xvi) Haloperidol (Haldol) (xvii) Haporiomine (Karoun) (xvii) Heparin (xxii) Mestoolopromide (xxiii) Mestoolopromide (xxiii) Mestoolopromide (xxiii) Mestoolopromide (xxiii) Midazolam (Versed) (xxiii) Capinera (Allanine) (xxiii) Morphine (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Capinera (Allanine) (xxiii) Metoolopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Capinera (Allanine) (xxiii) Peripheral Anaesthetic Eye Drops (Tetracaine) (xxiii) Capinera (Allanininera) (xxiii) Peripheral Parenteral Nutrition (PPN) and Total (xxiii) Peripheral Parenteral Nutrition (PPN) and Total (xxiii) Perinteral Nutrition (TPN)	•	
(d) treat penetration wound (e) treat local cold injury (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (a) administer medications (a) administer medications (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) (v) Atropine (v) Bicarb (Sodium Bicarbonate) (vii) Dextrose 59% in water (D5W) (viii) Dextrose 59% in water (D5W) (viii) Dextrose 50% (ix) Diphenhydramine (Benadryl) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiii) Haloperidol (Haldol) (xiii) Heparin (xiii) Heparin (xiii) Heparin (xiii) Heparin (xiii) Heparin (xiii) Magnesium Sulphate (xxii) Midazolam (Versed) (xxii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Mitorolopromide (xxiii) Midazolam (Versed) (xxiii) (xxiii) Salbutamol (Ventolin) (xxiii) Cypripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	· · · · · · · · · · · · · · · · · · ·	
(e) treat local cold injury (f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Adenosine (iii) Amiodarone (iii) Amiodarone (iv) Osicarb (Sodium Bicarbonate) (vi) Deatrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (viii) Dextrose 50% (xi) Diazepam (Valium) (xi) Dimenhydrinate (Gravol) (xii) Diphenhydramine (Benadryl) (xii) Epinephrine (Adrenaline) (xii) Epinephrine (Adrenaline) (xiv) Fentanyl (xvi) Glucagon (xvii) Haloperidol (Haldol) (xvii) Haparin (xxii) Haparin (xxii) Haparin (xxii) Moganesium Sulphate (xxii) Moganesium Sulphate (xxii) Midazolam (Versed) (xxii) Midazolam (Versed) (xxii) Caxis (Salvatanol) (xxii) Midazolam (Versed) (xxiii) Caxis (Salvatanol) (xxiii) Midazolam (Versed) (xxiiii) Caxis (Salvatanol) (xxiii) Midazolam (Versed) (xxiii) Caxis (Salvatanol) (xxiiii) Caxis (Salvatanol) (xxiiii) Caxis (Salvatanol) (xxiiiii) Caxis (Salvatanol) (xxiiiiii) Caxis (Salvatanol) (xxiiiiiii) Caxis (Salvatanol) (xxiiiiiiiiiiiiiii		
(f) provide routine wound care 2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations 2.8 Administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Adenosine (iii) Adinosine (iv) Atropine (vi) Bicarb (Sodium Bicarbonate) (vii) Calcium Chloride (CaCL2) III (vii) Dextrose 5% in water (D5W) (xiii) Dextrose 50% All (xi) Diazepam (Valium) (xi) Diphenhydrinate (Gravol) (xii) Dopamine (xii) Epinephrine (Adrenaline) (xii) Epinephrine (Adrenaline) (xvi) Fentanyl (xvi) Fentanyl (xvi) Haloperidol (Haldol) (xvii) Haparin (xvii) Haparin (xvii) Magnesium Sulphate III (xxi) Magnesium Sulphate III (xxi) Magnesium Sulphate III (xxi) Magnesium Sulphate III (xxi) Magnesium Sulphate III (xxii) Midazolam (Versed) III, III (xxi) Norphine (xxii) Midazolam (Versed) III, III (xxi) Nitroglycerin (N/G) (xxii) Magnesium Sulphate III (xxii) Oxygen All (xxii) Oxygen (xxii) Oxygen All (xxii) Oxygen All (xxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All All All All All All All A		
2.7 Immobilize actual and suspected fractures (a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (a) administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iii) Calcium Chloride (CaCL2) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (xi) Diazepam (Valium) (x) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Epinephrine (Adrenaline) (xii) Epinephrine (Adrenaline) (xvi) Glucagon (xvii) Haloperidol (Haldol) (xvii) Heparin (xxi) Jupatropium (Atrovent) (xxi) Jupatropium (Atrovent) (xxi) Magnesium Sulphate (xxii) Medicolopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) (xxii) Oxygen All (xxiv) Norygen All (xxiv) Norygen All (xxivi) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All All All All All All All A		
(a) immobilize suspected fractures involving appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Calcium Chloride (CaCL2) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (xi) Diazepam (Valium) (xi) Diinenhydriante (Gravol) (xii) Diphenhydramine (Benadryl) (xii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xvi) Glucagon (xvii) Haloperidol (Haldol) (xvii) Haloperidol (Haldol) (xvii) Haparin (xxi) Lidocaine (Xylocaine) (xxii) Magnesium Sulphate (xxii) Midzolam (Versed) (xxii) Midzolam (Versed) (xxii) Midzolam (Versed) (xxvii) Oxygen (xxvii) Oxygen (xxvii) Oxygen (xxxii) Oxytocin (Syntocinon) (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practition (PPN) and Total Parenteral Nutrition (PPN) and Total Parenteral Nutrition (PPN) and Total		All
appendicular skeleton (b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations (a) administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) All (ii) Adenosine III (iii) Amiodarone III, III (iv) Atropine (V) Bicarb (Sodium Bicarbonate) (Vii) Calcium Chloride (CaCL2) III (viii) Dextrose 5% in water (D5W) All (viiii) Dextrose 50% All (ix) Diazepam (Valium) II6, III (x) Dimenhydrinate (Gravol) All (xii) Diphenhydramine (Benadryl) All (xiii) Epinephrine (Adrenaline) III (xv) Furosemide (Lasix) III (xv) Furosemide (Lasix) III (xvi) Glucagon All (xvii) Haloperidol (Haldol) III (xviii) Heparin III, III (xx) Lidocaine (Xylocaine) III, III (xxi) Magnesium Sulphate III (xxii) Midazolam (Versed) III, III (xxii) Midazolam (Versed) III, III (xxiv) Norphine III, III (xxivi) Midazolam (Versed) III, III (xxivi) Norphine III, IIII (xxivi) Norphine III, III		
(b) immobilize suspected fractures involving axial skeleton (c) reduce fractures and dislocations 2.8 Administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iii) Airopine (iv) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (xi) Diazepam (Valium) (x) Dimenhydriante (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xvi) Glucagon (xvii) Haloperidol (Haldol) (xviii) Haparin (xix) Indeperidol (Haldol) (xxii) Haparin (xxi) Agnesium Sulphate (xxii) Metoclopromide (xxii) Midazolam (Versed) (xxii) Midazolam (Versed) (xxii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Cxviygen All (xxvi) Oxygen All (xxxi) Nitroglycerin (N/G) (xxvii) Oxygen All (xxxi) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		All
skeleton (c) reduce fractures and dislocations (a) administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iv) Atropine (v) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 50% (xi) Diazepam (Valium) (xi) Diphenhydramine (Gravol) (xii) Diphenhydramine (Benadryl) (xii) Dephydramine (Benadryl) (xii) Epinephrine (Adrenaline) (xii) Epinephrine (Adrenaline) (xii) Fentanyl (xvi) Furosemide (Lasix) (xvi) Glucagon (xvii) Haloperidol (Haldol) (xviii) Heparin (xxii) Heparin (xxii) Ingratropium (Atrovent) (xxii) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxvii) Midazolam (Versed) (xxvii) Nitroglycerin (N/G) (xxvii) Oxygen (xxvii) Oxygen (xxvii) Oxygen (xxvii) Oxygen (xxvii) Oxygen (xxvii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practition (TPN)		
(c) reduce fractures and dislocations (a) administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) All (ii) Adenosine III (iii) Amiodarone III, III (v) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) All (viii) Dextrose 5% in water (D5W) All (xi) Diazepam (Valium) (xi) Diphenhydramine (Benadryl) (xii) Dephenhydramine (Benadryl) (xii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xvi) Glucagon All (xvi) Glucagon All (xvii) Haloperidol (Haldol) (xviii) Haparin (xxi) III, III (xx) Lidocaine (Xylocaine) (xxii) Magnesium Sulphate (xxii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxvii) Oxygen All (xxvi) Oxygen All (xxvi) Oxygen All (xxvi) Oxygen All (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxi) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practition (TPN)		All
2.8 Administer medications (a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone III, III (iv) Atropine II ⁵ , III (v) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) All (viii) Dextrose 50% All (ix) Diazepam (Valium) (xi) Diazepam (Valium) (xi) Diphenhydranite (Gravol) All (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xv) Furosemide (Lasix) (xvi) Glucagon All (xvii) Haloperidol (Haldol) (xviii) Heparin (xxi) Ipatropium (Atrovent) (xxi) Ipatropium (Atrovent) (xxi) Magnesium Sulphate III (xxi) Magnesium Sulphate III (xxii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Oxytocin (Syntocinon) II, III (xxx) Tropical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practition (TPN)	skeleton	
(a) administer the following medications: (i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iv) Atropine (iv) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 5% in water (D5W) (viii) Dextrose 50% (ix) Diazepam (Valium) (xi) Diphenhydramine (Gravol) (xii) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xv) Furosemide (Lasix) (xvi) Glucagon (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Lidocaine (Xylocaine) (xxi) Magnesium Sulphate (xxii) Magnesium Sulphate (xxii) Midazolam (Versed) (xxiv) Morphine (xxiv) Naloxone (Narcan) (xxiv) Salbutamol (Ventolin) (xxiv) Thiamine (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (ii) Parnotpazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	(c) reduce fractures and dislocations	<u>III</u>
(i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Atropine (v) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 50% (All (ix) Diazepam (Valium) (ix) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xv) Furosemide (Lasix) (xvi) Glucagon (All (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Ipratropium (Atrovent) (xxi) Ipratropium (Atrovent) (xxi) Magnesium Sulphate (xxii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Mitroglycerin (N/G) (xxvi) Naloxone (Narcan) (xxvi) Oxygen (xxviii) Oxygen (xxviii) Oxygen (xxxii) Tranexamic Acid (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	2.8 Administer medications	
(i) Acetylsalicylic Acid (ASA) (ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Amiodarone (iii) Atropine (v) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 50% (All (ix) Diazepam (Valium) (ix) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xv) Furosemide (Lasix) (xvi) Glucagon (All (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Ipratropium (Atrovent) (xxi) Ipratropium (Atrovent) (xxi) Magnesium Sulphate (xxii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Mitroglycerin (N/G) (xxvi) Naloxone (Narcan) (xxvi) Oxygen (xxviii) Oxygen (xxviii) Oxygen (xxxii) Tranexamic Acid (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(ii) Adenosine (iii) Amiodarone (iii) Amiodarone (iv) Atropine (v) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) (viii) Dextrose 50% (All (viii) Dextrose 50% (All (ix) Diazepam (Valium) (ix) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xv) Furosemide (Lasix) (xv) Furosemide (Lasix) (xvi) Glucagon (All (xvii) Haloperidol (Haldol) (xviii) Heparin (xii) Heparin (xxi) Lidocaine (Xylocaine) (xxi) Magnesium Sulphate (xxii) Metoclopromide (xxii) Midazolam (Versed) (xxii) Midazolam (Versed) (xxii) Morphine (xxii) Midazolam (Versed) (xxii) Oxyoen (xxvii) Oxyoen (xxvii) Oxyoen (xxvii) Oxyoen (xxvii) Oxyoen (xxvii) Oxyoen (xxvii) Oxyoen (xxviii) Oxyoen (xxviii) Cytocin (Syntocinon) (xxiii) Tranexamic Acid (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		All
(iii) Amiodarone (iv) Atropine (iv) Atropine (iv) Atropine (iv) Bicarb (Sodium Bicarbonate) (ii) Calcium Chloride (CaCL2) (iii) Dextrose 5% in water (D5W) All (viii) Dextrose 50% (ix) Diazepam (Valium) (ix) Diazepam (Valium) (ix) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (III (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xiv) Fentanyl (xiv) Furosemide (Lasix) (xvi) Glucagon All (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Ipratropium (Atrovent) (xix) Ipratropium (Atrovent) (xix) Ili (xxi) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Naloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxviii) Oxygen (xxviii) Oxygen (xxviii) Oxygen (xxviii) Oxygen (xxviii) (Ventolin) (xxii) Tranexamic Acid (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(iv) Atropine (iv) Bicarb (Sodium Bicarbonate) (il) Bicarb (Sodium Bicarbonate) (vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% (all (viii) Dextrose 50% (ix) Diazepam (Valium) (x) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (III (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiii) Fentanyl (xiv) Fentanyl (xiv) Furosemide (Lasix) (xvi) Glucagon (All (xviii) Haloperidol (Haldol) (xviii) Heparin (xix) Igratropium (Atrovent) (xx) Lidocaine (Xylocaine) (xxi) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxivi) Naloxone (Narcan) (xxvii) Oxygen (xxvii) Oxygen (xxviii) Oxytocin (Syntocinon) (xxii) (xxii) Tranexamic Acid (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	` /	
(v) Bicarb (Sodium Bicarbonate) II ⁵ , III (vi) Calcium Chloride (CaCL2) III (vii) Dextrose 5% in water (D5W) All (viii) Dextrose 50% All (ix) Diazepam (Valium) II ⁶ , III (x) Dimenhydrinate (Gravol) All (xi) Diphenhydramine (Benadryl) All (xii) Dopamine III (xiii) Epinephrine (Adrenaline) III (xiv) Fentanyl II, III (xv) Furosemide (Lasix) III (xvi) Glucagon All (xvii) Haloperidol (Haldol) III (xviii) Heparin II, III (xxi) Ipratropium (Atrovent) II, III (xxi) Lidocaine (Xylocaine) III, III (xxii) Magnesium Sulphate III (xxiii) Midazolam (Versed) II, III (xxiv) Morphine II, III (xxiv) Naloxone (Narcan) II, III (xxvi) Nitroglycerin (N/G) All ⁸ (xxvii) Oxygen All (xxvii) Oxygen All (xxxii) Topical Anaesthetic Eye Drops (Tetracaine) All (xxxii) Tranexamic Acid III, III (iii) Pantoprazole III, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(vi) Calcium Chloride (CaCL2) (vii) Dextrose 5% in water (D5W) All (viii) Dextrose 50% All (ix) Diazepam (Valium) (x) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xiv) Furosemide (Lasix) (xvi) Glucagon All (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Igratropium (Atrovent) (xx) Lidocaine (Xylocaine) (xxii) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Morphine (xxiv) Naloxone (Narcan) (xxv) Nitroglycerin (N/G) (xxvi) Oxygen All (xxvii) Oxygen All (xxxii) Oxygen All (xxxii) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (ii) Pantoprazole (iii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(vii) Dextrose 5% in water (D5W) (viii) Dextrose 50% (xi) Diazepam (Valium) (xi) Diazepam (Valium) (xi) Diphenhydrinate (Gravol) (xii) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xvi) Fentanyl (xvi) Furosemide (Lasix) (xvii) Glucagon (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Ipratropium (Atrovent) (xxi) Irratropium (Atrovent) (xxi) Magnesium Sulphate (xxii) Metoclopromide (xxii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Naloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen (xxvii) Oxygen (xxvii) Oxygen (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(viii) Dextrose 50% All (ix) Diazepam (Valium) II ⁶ , III (x) Dimenhydrinate (Gravol) All (xi) Diphenhydramine (Benadryl) All (xii) Dopamine III (xiii) Epinephrine (Adrenaline) All ⁷ (xiv) Fentanyl II, III (xv) Furosemide (Lasix) III (xvi) Glucagon All (xvii) Haloperidol (Haldol) III (xix) Ipratropium (Atrovent) II, III (xx) Lidocaine (Xylocaine) II, III (xxi) Magnesium Sulphate III (xxiii) Metoclopromide III (xxiii) Midazolam (Versed) II, III (xxiv) Naloxone (Narcan) II, III (xxvi) Nitroglycerin (N/G) All ⁸ (xxvii) Oxygen All (xxviii) Oxygen All (xxiii) Cytocin (Syntocinon) II, III (xxi) Tanexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practition (PPN) and Total Parenteral Nutrition (PPN) and Total Parenteral Nutrition (PPN) and Total Parenteral Nutrition (PPN)		
(ix) Diazepam (Valium) (x) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xiv) Fentanyl (xiv) Furosemide (Lasix) (xvi) Glucagon (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Ipratropium (Atrovent) (xxi) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Naloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen (xxvii) Oxygen (xxvii) Oxygen (xxiii) Cytocin (Syntocinon) (xxii) Salbutamol (Ventolin) (xxii) Tranexamic Acid (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(x) Dimenhydrinate (Gravol) (xi) Diphenhydramine (Benadryl) (xii) Dopamine (Xiii) Epinephrine (Adrenaline) (Xiii) Epinephrine (Adrenaline) (Xiv) Fentanyl (Xiv) Fentanyl (Xiv) Furosemide (Lasix) (Xiv) Glucagon (Xiv) Glucagon (Xiv) Haloperidol (Haldol) (Xivii) Heparin (Xiv) Ipratropium (Atrovent) (Xiv) Ipratropium (Atrovent) (Xiv) Ill (Xiv) Lidocaine (Xylocaine) (Xiv) Magnesium Sulphate (Xiv) Magnesium Sulphate (Xiv) Metoclopromide (Xiv) (Xiv) Morphine (Xiv) Morphine (Xiv) Midazolam (Versed) (Xiv) Midazolam (Versed) (Xiv) Nitroglycerin (N/G) (Xiv) Nitroglycerin (N/G) (Xiv) Nitroglycerin (Syntocinon) (Xiv) Salbutamol (Ventolin) (Xiv) Thiamine (Xiv) Thiamine (Xiv) Trianexamic Acid (Xiv) Manister the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (Xiv) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xi) Diphenhydramine (Benadryl) (xii) Dopamine (Xiii) Epinephrine (Adrenaline) (Xiv) Fentanyl (Xiv) Fentanyl (Xiv) Furosemide (Lasix) (Xiv) Glucagon All (Xvii) Haloperidol (Haldol) (Xviii) Heparin (Xix) Ipratropium (Atrovent) (Xix) Ipratropium (Atrovent) (Xix) Imagenesium Sulphate (Xix) Magnesium Sulphate (Xiii) Metoclopromide (Xiii) Midazolam (Versed) (Xiii) Midazolam (Versed) (Xiii) Midazolam (Versed) (Xiii) Midazolam (Narcan) (Xiii) (Xiii) Oxytocin (Narcan) (Xiii) (Xiii) Oxytocin (Syntocinon) (Xiii) (Xiii) Oxytocin (Syntocinon) (Xiii) (Xiii) Tranexamic Acid (Xiii) Tranexamic Acid (Xiii) Oxytocin (Syntocinon) (Xiii) Tranexamic Acid (Xiii) Pantoprazole (Xiii) Pantoprazole (Xiii) Pantoprazole (Xiii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		II ⁶ , III
(xii) Dopamine (xiii) Epinephrine (Adrenaline) (xiv) Fentanyl III, III (xv) Furosemide (Lasix) III (xvi) Glucagon All (xvii) Haloperidol (Haldol) III (xiii) Heparin III, III (xiii) Ipratropium (Atrovent) III, III (xx) Lidocaine (Xylocaine) III, III (xxi) Magnesium Sulphate III (xxii) Metoclopromide III, III (xxiii) Midazolam (Versed) III, III (xxvi) Morphine III, III (xxvi) Naloxone (Narcan) III, III (xxvi) Nitroglycerin (N/G) All ⁸ (xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) III, III (xxxi) Thiamine III (xxxi) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		All
(xiii) Epinephrine (Adrenaline) (xiv) Fentanyl (xiv) Furosemide (Lasix) III (xv) Furosemide (Lasix) III (xvi) Glucagon All (xvii) Haloperidol (Haldol) III (xviii) Heparin II, III (xix) Ipratropium (Atrovent) III, III (xx) Lidocaine (Xylocaine) III, III (xxi) Magnesium Sulphate III (xxii) Metoclopromide III, III (xxiii) Midazolam (Versed) III, III (xxiv) Morphine III, III (xxv) Naloxone (Narcan) III, III (xxvi) Nitroglycerin (N/G) All ⁸ (xxvii) Oxygen All (xxviii) Oxygen All (xxxiii) Oxytocin (Syntocinon) III, III (xxxx) Thiamine III (xxxx) Thiamine III (xxxx) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (iii) Pantoprazole III, III	(xi) Diphenhydramine (Benadryl)	All
(xiv) Fentanyl (xv) Furosemide (Lasix) (xvi) Glucagon (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Ipratropium (Atrovent) (xix) Ipratropium (Atrovent) (xix) In III (xix) Lidocaine (Xylocaine) (xxi) Magnesium Sulphate (xxii) Metoclopromide (xxii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Morphine (xxiv) Morphine (xxvi) Nitroglycerin (N/G) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) (xxix) Salbutamol (Ventolin) (xxxi) Thiamine (xxxi) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	(xii) Dopamine	III
(xiv) Fentanyl (xv) Furosemide (Lasix) (III (xvi) Glucagon All (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Ipratropium (Atrovent) II, III (xix) Lidocaine (Xylocaine) III, III (xxi) Magnesium Sulphate III (xxii) Metoclopromide III (xxiii) Midazolam (Versed) III, III (xxiv) Morphine III, III (xxv) Naloxone (Narcan) III, III (xxvi) Nitroglycerin (N/G) All ⁸ (xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) III, III (xxix) Salbutamol (Ventolin) All (xxxi) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (iii) Pantoprazole III, III (iiii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		All^7
(xv) Furosemide (Lasix) (xvi) Glucagon All (xvii) Haloperidol (Haldol) (xviii) Heparin II, III (xix) Ipratropium (Atrovent) (xx) Lidocaine (Xylocaine) II, III (xxi) Magnesium Sulphate III (xxii) Metoclopromide III (xxiii) Midazolam (Versed) II, III (xxiv) Morphine II, III (xxv) Naloxone (Narcan) II, III (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) II, III (xxx) Thiamine III (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (iii) Pantoprazole III, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		II, III
(xvi) Glucagon (xvii) Haloperidol (Haldol) (xviii) Heparin (xix) Ipratropium (Atrovent) (xix) Ipratropium (Atrovent) (xix) Lidocaine (Xylocaine) (xi) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiii) (xxiv) Morphine (xxiv) Naloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen All (xxviii) Oxygen All (xxviii) Oxytocin (Syntocinon) (xxix) Salbutamol (Ventolin) (xxxi) Thiamine (xxxi) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xvii) Haloperidol (Haldol) III (xviii) Heparin II, III (xix) Ipratropium (Atrovent) II, III (xx) Lidocaine (Xylocaine) II, III (xxi) Magnesium Sulphate III (xxii) Metoclopromide III (xxii) Midazolam (Versed) II, III (xxii) Midazolam (Versed) II, III (xxii) Morphine II, III (xxv) Naloxone (Narcan) II, III (xxvi) Nitroglycerin (N/G) All ⁸ (xxvii) Oxygen All (xxviii) Oxygen All (xxii) Toylocin (Syntocinon) II, III (xxxi) Salbutamol (Ventolin) All (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) All (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: All (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xviii) Heparin (xix) Ipratropium (Atrovent) (xx) Lidocaine (Xylocaine) (xxi) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Morphine (xxiv) Morphine (xxvi) Nitroglycerin (N/G) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen All (xxviii) Oxygen (xxviii) Oxytocin (Syntocinon) (xxix) Salbutamol (Ventolin) (xxx) Thiamine (xxxi) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (iii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xix) Ipratropium (Atrovent) II, III (xx) Lidocaine (Xylocaine) II, III (xxi) Magnesium Sulphate III (xxii) Metoclopromide III (xxiii) Midazolam (Versed) II, III (xxiv) Morphine II, III (xxv) Naloxone (Narcan) II, III (xxvi) Nitroglycerin (N/G) All ⁸ (xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) II, III (xxx) Salbutamol (Ventolin) All (xxx) Thiamine III (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) All (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: All (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN) All		
(xx) Lidocaine (Xylocaine) (xxi) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Morphine (xxiv) Morphine (xxv) Naloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) (xxiii) Caytocin (Syntocinon) (xxiii) Caytocin (Syntocinon) (xxiii) Caytocin (Syntocinon) (xxxiii) Thiamine (xxxiii) Topical Anaesthetic Eye Drops (Tetracaine) (xxxiii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxi) Magnesium Sulphate (xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Morphine (xxiv) Maloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen (xxviii) Oxytocin (Syntocinon) (xxiii) Oxytocin (Syntocinon) (xxii) Salbutamol (Ventolin) (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxii) Metoclopromide (xxiii) Midazolam (Versed) (xxiii) Midazolam (Versed) (xxiv) Morphine (xxv) Naloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen (xxviii) Oxytocin (Syntocinon) (xxiii) Oxytocin (Syntocinon) (xxiii) Cytocin (Syntocinon) (xxiii) Cytocin (Syntocinon) (xxiii) Thiamine (xxxiii) Tranexamic Acid (xxxiii) Tranexamic Acid		-
(xxii) Midazolam (Versed) (xxiv) Morphine (xxv) Naloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen (xxviii) Oxytocin (Syntocinon) (xxix) Salbutamol (Ventolin) (xxx) Thiamine (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxiv) Morphine II, III (xxv) Naloxone (Narcan) II, III (xxvi) Nitroglycerin (N/G) All ⁸ (xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) II, III (xxix) Salbutamol (Ventolin) All (xxx) Thiamine III (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) All (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: All (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN) All		
(xxv) Naloxone (Narcan) (xxvi) Nitroglycerin (N/G) (xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) (xxix) Salbutamol (Ventolin) (xxx) Thiamine (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxvi) Nitroglycerin (N/G) (xxvii) Oxygen (xxviii) Oxytocin (Syntocinon) (xxiii) Oxytocin (Syntocinon) (xxii) Salbutamol (Ventolin) (xxx) Thiamine (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) II, III (xxix) Salbutamol (Ventolin) All (xxx) Thiamine III (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) All (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxvii) Oxygen All (xxviii) Oxytocin (Syntocinon) II, III (xxix) Salbutamol (Ventolin) All (xxx) Thiamine III (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) All (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	(xxvi) Nitroglycerin (N/G)	All^8
(xxviii) Oxytocin (Syntocinon) (xxix) Salbutamol (Ventolin) (xxx) Thiamine (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxix) Salbutamol (Ventolin) All (xxx) Thiamine III (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) All (xxxii) Tranexamic Acid III (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: All (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN) All		
(xxx) Thiamine (xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxxi) Topical Anaesthetic Eye Drops (Tetracaine) (xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(xxxii) Tranexamic Acid (b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	` '	
(b) administer the following medications during the transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
transport of a patient between health facilities, on the order of a medical practitioner: (i) Antibiotics (ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		111
order of a medical practitioner: (i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(i) Antibiotics All (ii) Pantoprazole II, III (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)		
(ii) Pantoprazole (iii) Peripheral Parenteral Nutrition (PPN) and Total Parenteral Nutrition (TPN)	•	A 11
(iii) Peripheral Parenteral Nutrition (PPN) and Total All Parenteral Nutrition (TPN)		
Parenteral Nutrition (TPN)		
, ,		All
(iv) Potassium Chloride All ⁹	` '	0
	(iv) Potassium Chloride	All

4 to non-arrested patient on order from medical practitioner 5 to cardiac arrest patient

⁶ for seizures or sedation post ETI
All – for anaphylaxis; II & III – for cardiac arrest for near death asthma patients
All – for chest pain; II & III – for CHF/Pulmonary Edema

(v) Sandostatin	II, III
(c) administer medications other than those listed in clause (b) during the transport of a patient between	III
health facilities, on the order of a medical practitioner	
(d) recognize principles of pharmacology as applied to	All
the medications listed under clause (a) and (b)	
(e) follow safe process for responsible medication	All
administration	
(f) administer medications via subcutaneous route	All
(g) administer medications via intramuscular route	All
(h) administer medications via intravenous route	All
(i) administer medications via intraosseous route	III
(j) administer medications via endotracheal route	II, III
(k) administer medications via sublingual route	All
(l) administer medications via buccal route	All
(m) administer medications via topical route	II, III
(n) administer medications via oral route	All
(o) administer medications via rectal route (p) administer medications via inhalation	II, III All
(q) administer medications via intranasal route	All
(q) administer medications via mitanasar route	All
3. INTEGRATION	
3.1 Use differential diagnosis skills, decision-making skills	
and psychomotor skills in providing care to patients	
(a) provide care to patient experiencing illness or injury	All
primarily involving the cardiovascular system	
(b) provide care to patient experiencing illness or injury	All
primarily involving the neurological system	
(c) provide care to patient experiencing illness or injury	All
primarily involving the respiratory system	
(d) provide care to patient experiencing illness or injury	All
primarily involving the genitourinary or reproductive	
system (e) provide care to patient experiencing illness or injury	All
primarily involving the gastrointestinal system	All
(f) provide care to patient experiencing illness or injury	All
primarily involving the integumentary system	1 111
(g) provide care to patient experiencing illness or injury	All
primarily involving the musculoskeletal system	
(h) provide care to patient experiencing illness or injury	All
primarily involving the immunologic system	
(i) provide care to patient experiencing illness or injury	All
primarily involving the endocrine system	A 11
(j) provide care to patient experiencing illness or injury primarily involving the eyes, ears, nose or throat	All
(k) provide care to patient experiencing toxicologic	All
syndromes	All
(l) provide care to patient experiencing non-urgent	All
problem	
(m) provide care to palliative patient	All
(n) provide care to patient experiencing signs and	All
symptoms due to exposure to adverse environments	
(o) provide care to trauma patient	All
(p) provide care to psychiatric patient	All
(q) provide care to obstetrical patient	All
3.2 Provide care to meet needs of unique patient groups	
(a) provide care for neonatal patient	All
(b) provide care for pediatric patient	All
(c) provide care for geriatric patient	All
(d) provide care for physically impaired patient	All
(e) provide care for mentally impaired patient (f) provide care for heristric patient	All
(f) provide care for bariatric patient 3.3 Conduct ongoing assessments and provide care	All
3.3 Conduct ongoing assessments and provide care (a) conduct ongoing assessments based on patient	All
presentation and interpret findings	All
(b) re-direct priorities based on assessment findings	All
, , , , , , , , , , , , , , , , , , , ,	_

9 up to 40 mEq/litre

SCHEDULE II

MINIMUM COMPETENCIES: PROFESSIONAL RESPONSIBILITIES, COMMUNICATION, HEALTH AND SAFETY, TRANSPORTATION, AND HEALTH PROMOTION AND PUBLIC SAFETY

1. PROFESSIONAL RESPONSIBILITIES
1.1 Function as a professional
(a) maintain patient dignity at all times
(b) reflect professionalism through use of appropriate language
(c) dress appropriately and maintain personal hygiene
(d) maintain appropriate personal interaction with patients
(e) maintain patient confidentiality
(f) participate in quality assurance and enhancement programs
(g) use community support agencies as appropriate
(h) promote awareness of EMS system and EMT profession
(i) participate in professional association
(j) behave ethically
(k) function as a patient advocate
1.2 Participate in continuing education and professional development
(a) develop personal plan for continuing professional development
(b) self-evaluate and set goals for improvement in relation to
professional practice
(c) interpret evidence in medical literature and assess relevance to
professional practice
(d) make presentations
1.3 Possess an understanding of the medico-legal aspects of the
profession
(a) comply with scope of practice
(b) recognize patient rights and their implications for the role of
the provider
(c) include all pertinent and required information on patient call
reports
1.4 Recognize, function within and comply with relevant provincial
and federal legislation, policies and procedures
1.5 Function effectively in a team environment
(a) work collaboratively with a partner
(b) accept and deliver constructive feedback
(c) work collaboratively with other emergency response agencies
(d) work collaboratively with other members of health care team
1.6 Make decisions effectively
(a) employ reasonable and prudent judgment
(b) practise effective problem-solving
(c) delegate tasks appropriately
1.7 Manage scenes with actual or potential forensic implications
(a) collaborate with law enforcement agencies in the management of crime scenes
(b) comply with ethical and legal reporting requirements of situations of abuse
2. COMMUNICATION
2.1 Practise effective oral and written communication skills
(a) deliver an organized, accurate and relevant report using
telecommunication devices
(b) deliver an organized, accurate and relevant verbal report
(c) deliver an organized, accurate and relevant verbal report
(d) provide information to patients about their situation and how
they will be cared for
(e) interact effectively with patients, relatives and bystanders who
are in stressful situations
(f) speak in language appropriate to the listener
(g) use appropriate terminology
2.2 Practise effective written communication skills
(a) record organized, accurate and relevant patient information
(b) prepare professional correspondence
2.3 Practise effective non-verbal communication skills
(a) employ effective non-verbal behaviour
(b) practise active listening techniques
(b) practise active insterning techniques

(c) establish trust and rapport with patients and colleagues (d) recognize and react appropriately to non-verbal behaviours

2.4 Practise effective interpersonal relations
(a) treat others with respect
(b) employ empathy and compassion while providing care
(c) recognize and react appropriately to persons exhibiting
emotional reactions
(d) act in a confident manner
(e) act assertively as required
(f) employ diplomacy, tact and discretion
(g) employ conflict resolution skills
3. HEALTH AND SAFETY
3.1 Maintain good physical and mental health
(a) maintain balance in personal lifestyle
(b) develop and maintain an appropriate support system
(c) manage personal stress
(d) practise effective strategies to improve physical and mental
health related to career
(e) exhibit physical strength and fitness consistent with the
requirements of professional practice
3.2 Practise safe lifting and moving techniques
(a) practise safe biomechanics
(b) transfer patient from various positions using applicable
equipment and techniques
(c) transfer patient using emergency evacuation techniques
(d) secure patient safely to applicable equipment
(e) lift patient and stretcher in and out of ambulance with partner
3.3 Create and maintain a safe work environment
(a) assess scene for safety
(b) address potential occupational hazards
(c) conduct basic extrication
(d) exhibit defusing and self-protection behaviours appropriate for
use with patients and bystanders
(e) conduct procedures and operations consistent with WHMIS and
hazardous materials management requirements
(f) practise infection control precautions
(g) clean and disinfect equipment
(h) clean and disinfect work environment
4. TRANSPORTATION
4.1 Prepare ambulance for service
(a) conduct vehicle maintenance and safety check
(b) recognize conditions requiring removal of vehicle from service
(c) utilize all vehicle equipment and vehicle devices within
ambulance
4.2 Drive ambulance or similar type of vehicle
(a) use defensive driving techniques
(b) use safe emergency driving techniques
(c) drive in a manner that ensures patient comfort and a safe
environment for passengers
4.3 Transfer patient to air ambulance
(a) create safe landing zone for rotary-wing aircraft
(b) safely approach stationary rotary-wing aircraft
(c) safely approach stationary fixed-wing aircraft
4.4 Transport patient in air ambulance
(a) prepare patient for air medical transport
(b) recognize the stressors of flight on patient, crew and equipment
and the implications for patient care
5. HEALTH PROMOTION & PUBLIC SAFETY
5.1 Integrate professional practice into community care.
(a) participate in health promotion activities and initiatives.
(b) participate in injury prevention and public safety activities and
initiatives.
(c) work collaboratively with other members of the health care
community

(d) utilize community support agencies as appropriate.

- **5.2** Contribute to public safety through collaboration with other emergency response agencies.
 - (a) work collaboratively with other response agencies.
 - (b) work within an incident management system (IMS).
- **5.3** Participate in the management of chemical, biological, radiological/ nuclear, explosive (CBRNE) incident.
 - (a) recognize indicators of agent exposure.
 - (b) possess knowledge of personal protective equipment (PPE)
 - (c) perform CBRNE scene size-up.
 - (d) conduct triage at CBRNE incident.
 - (e) conduct decontamination procedures.
 - (f) provide care to patients involved in CBRNE incident.

EXPLANATORY NOTES

SECTION 1 provides a definition of "Act" for the purposes of these regulations.

SECTION 2 sets out the qualifications and requirements to obtain an EMT license. It also makes it a condition of the license that an EMT continue to meet requirements related to his or her driver's license and requires the EMT to notify the Board if he or she ceases to meet those requirements.

SECTION 3 sets out the requirements to renew an EMT license. It requires that an application to renew a license be made before the license expires but permits the Board to accept applications made within three years after the license expired. It imposes conditions on a license that is renewed within a year after it expired and on a license renewed within one to three years after it expired.

SECTION 4 sets out the continuing education requirements an EMT who holds a license must meet and how continuing education units may be earned. It also requires an EMT who holds a license to keep a complete and accurate record of continuing education units earned and provide it to the Board on request.

SECTION 5 sets out the levels of EMT license and provides that the minimum competencies and scope of practice for each level are set out in schedules to the regulations.

SECTION 6 sets out actions or omissions of an EMT that constitute misconduct and defines conflict of interest.

SECTION 7 sets out the persons the Board is permitted to and required to inform when the Board imposes a condition on, suspends, or revokes the license of an EMT following a hearing.

SECTION 8 sets a \$100 fee for the issuance or renewal of a license.

SECTION 9 revokes the Emergency Medical Services Regulations (EC472/00).

SECTION 10 provides for the commencement of these regulations.

EXECUTIVE COUNCIL MINISTERIAL RESPONSIBILITY FOR THE

ADMINISTRATION AND SUPERVISION OF CERTAIN STATUTES DESIGNATION BY THE LIEUTENANT GOVERNOR IN COUNCIL AS AT JULY 23, 2013

1. ADVISORY COUNCIL ON THE STATUS OF WOMEN ACT R.S.P.E.I. 1988, Cap. A-6, clause 1(a)

Minister of Community Services and Seniors

2. AGRICULTURAL PRODUCTS STANDARDS ACT R.S.P.E.I. 1988, Cap. A-9, clause 1(i)

Minister of Agriculture and Forestry

3. APPRENTICESHIP AND TRADES QUALIFICATION ACT R.S.P.E.I. 1988, Cap. A-15.2 clause 1(p)

Minister of Innovation and Advanced Learning

4. ARCHIVES AND RECORDS ACT R.S.P.E.I. 1988, Cap. A-19.1, clause 1(d)

Minister of Tourism and Culture

5. AREA INDUSTRIAL COMMISSION ACT R.S.P.E.I. 1988, Cap. A-20, clause 1(e)

Minister of Innovation and Advanced Learning

6. AUTOMOBILE JUNK YARDS ACT R.S.P.E.I. 1988, Cap. A-25, clause 1(d)

Minister of Environment, Labour and Justice and Attorney General

7. CHARITIES ACT R.S.P.E.I. 1988, Cap. C-4, clause 1(c)

Minister of Environment, Labour and Justice and Attorney General

8. CHILD CARE FACILITIES ACT R.S.P.E.I. 1988, Cap. C-5, clause 1(I)

Minister of Education and Early Childhood Development

9. CHIROPRACTIC ACT R.S.P.E.I. 1988, Cap. C-7.1, clause 1(i)

Minister of Health and Wellness

10. CONSUMER REPORTING ACT R.S.P.E.I. 1988, Cap. C-20, clause 1(1)(g)

Minister of Environment, Labour and Justice and Attorney General

11. CROWN BUILDING CORPORATION ACT R.S.P.E.I. 1988, Cap. C-31, clause 1(d)

Minister of Transportation and Infrastructure Renewal

12. DENTURISTS ACT

R.S.P.E.I. 1988, Cap. D-6.1, clause 1(f)

Minister of Health and Wellness

13. DOG ACT

R.S.P.E.I. 1988, Cap. D-13, clause 1(h)

Minister of Agriculture and Forestry

14. ELECTRONIC COMMERCE ACT

R.S.P.E.I. 1988, Cap. E-4.1, clause 1(d)

Minister of Environment, Labour and Justice and Attorney General

15. ELECTRIC POWER ACT

R.S.P.E.I. 1988, Cap. E-4, clause 1(d)

Minister of Finance, Energy and Municipal Affairs

16. ELEVATORS AND LIFTS ACT

R.S.P.E.I. 1988, Cap. E-5, clause 1(p)

Minister of Environment, Labour and Justice and Attorney General

17. EMERGENCY 911 ACT

R.S.P.E.I. 1998, Cap. E-5.1, clause 1(d)

Minister of Environment, Labour and Justice and Attorney General

18. EMERGENCY MEASURES ACT

R.S.P.E.I. 1988, Cap. E-6.1, clause 1(h)

Minister of Environment, Labour and Justice and Attorney General

19. EMPLOYMENT DEVELOPMENT AGENCY ACT

R.S.P.E.I. 1988, Cap. E-6.02, clause 1(c)

Minister of Fisheries, Aquaculture, and Rural Development

20. ENERGY CORPORATION ACT

R.S.P.E.I. 1988, Cap. E-7, clause 1(e)

Minister of Finance, Energy and Municipal Affairs

21. EXPROPRIATION ACT

R.S.P.E.I. 1988, Cap. E-13, clause 1(e)

Minister of Transportation and Infrastructure Renewal

22. FARM MACHINERY DEALERS AND VENDORS ACT

R.S.P.E.I. 1988, Cap. F-4.01, clause 1(e)

Minister of Agriculture and Forestry

23. FINANCE PEI ACT

R.S.P.E.I. 1988, Cap. F-8.1, clause 1(d)

Minister of Innovation and Advanced Learning

24. FIRE PREVENTION ACT

R.S.P.E.I. 1988, Cap. F-11, clause 1(e)

Minister of Environment, Labour and Justice and Attorney General

via clause 25(b) for Part VII only

Minister of Agriculture and Forestry

25. FISH INSPECTION ACT

R.S.P.E.I. 1988, Cap. F-13, clause 1(f)

Minister of Fisheries, Aquaculture, and Rural Development

26. FREEDOM OF INFORMATION AND PROTECTION

OF PRIVACY ACT

R.S.P.E.I. 1988, Cap. F-15.01, clause 1(f)

Minister of Environment, Labour and Justice and Attorney General

27. FRENCH LANGUAGE SERVICES ACT

R.S.P.E.I. 1988, Cap F-15.1, clause 1(b)

President of the Executive Council (as Minister responsible for Acadian and Francophone Affairs)

28. HIGHWAY SIGNAGE ACT

R.S.P.E.I. 1988, Cap. H-4.1, clause 1(g)

Minister of Tourism and Culture

29. HUMAN RIGHTS ACT

R.S.P.E.I. 1988, Cap. H-12, clause 1(1)(i)

Minister of Environment, Labour and Justice and Attorney General

30. INNOVATION PEI ACT

R.S.P.E.I. 1988, Cap I-2.1, clause 1(m)

Minister of Innovation and Advanced Learning

31. INSURANCE ACT

R.S.P.E.I. 1988, Cap. I-4, clause 1(1.2)

Minister of Environment, Labour and Justice and Attorney General

32. LABOUR MOBILITY ACT

R.S.P.E.I. 1988, Cap. L-1.1, clause 1(e)

Minister of Innovation and Advanced Learning

33. LANDS PROTECTION ACT, PRINCE EDWARD ISLAND R.S.P.E.I. 1988, Cap. L-5, clause 1(1)(h)

Minister of Finance, Energy and Municipal Affairs

34. LIQUOR CONTROL ACT R.S.P.E.I. 1988, Cap. L-14, subsection 87(1)

Minister of Tourism and Culture

35. LOTTERIES COMMISSION ACT R.S.P.E.I. 1988, Cap. L-17, clause 1(b)

Minister of Finance, Energy and Municipal Affairs

36. MUNICIPAL DEBENTURE GUARANTEE ACT R.S.P.E.I. 1988, Cap. M-12, clause 1(a)

Minister of Finance, Energy and Municipal Affairs

37. NATIONAL PARK ACT R.S.P.E.I. 1988, Cap. N-1

Minister of Tourism and Culture

38. NATURAL GAS DISTRIBUTION ACT (when proclaimed) Stats. P.E.I. 1999, c. 37, clause 1(k)

Minister of Finance, Energy and Municipal Affairs

39. NATURAL PRODUCTS MARKETING ACT R.S.P.E.I. 1988, Cap. N-3, subsection 2(11)

Minister of Agriculture and Forestry

40. OCCUPATIONAL HEALTH AND SAFETY ACT R.S.P.E.I. 1988, Cap. O-1.01, clause 1(k)

Minister of Environment, Labour and Justice and Attorney General

41. OFF-HIGHWAY VEHICLE ACT R.S.P.E.I. 1988, Cap. 0-3, clause 1(e)

Minister of Transportation and Infrastructure Renewal

42. OIL AND NATURAL GAS ACT R.S.P.E.I. 1988, Cap. 0-5, clause 1(h.1)

Minister of Finance, Energy and Municipal Affairs

43. PESTICIDES CONTROL ACT R.S.P.E.I. 1988, Cap. P-4, clause 1(f)

Minister of Environment, Labour and Justice and Attorney General

44. POWER ENGINEERS ACT R.S.P.E.I. 1988, Cap. P-15, clause 1(j)

Minister of Environment, Labour and Justice and Attorney General

45. PRIVATE TRAINING SCHOOLS ACT R.S.P.E.I. 1988, Cap. P-20.1, section 1(d)

Minister of Innovation and Advanced Learning

46. PROBATION ACT R.S.P.E.I. 1988, Cap. P-22, section 2

Minister of Environment, Labour and Justice and Attorney General

47. PROVINCIAL BUILDING CODE ACT R.S.P.E.I. 1988, Cap. P-24, clause 1(g)

Minister of Environment, Labour and Justice and Attorney General

48. PROVINCIAL COURT ACT R.S.P.E.I. 1988, Cap. P-25, clause 1(d)

Minister of Environment, Labour and Justice and Attorney General

49. REAL PROPERTY ASSESSMENT ACT R.S.P.E.I. 1988, Cap. R-4, clause 1(g)

Minister of Finance, Energy and Municipal Affairs

50. RECREATION DEVELOPMENT ACT R.S.P.E.I. 1988, Cap. R-8, clause 1(d)

Minister of Tourism and Culture

51. SMOKE FREE PLACES ACT R.S.P.E.I. 1988, Cap. S-4.2, clause 1(j)

Minister of Health and Wellness

52. TOURISM INDUSTRY ACT R.S.P.E.I. 1988, Cap. T-3.3, clause 1(f)

Minister of Tourism and Culture

53. TOURISM PEI ACT R.S.P.E.I. 1988, Cap. T-3.4, clause 1(c)

Minister of Tourism and Culture

54. UNSIGHTLY PROPERTY ACT R.S.P.E.I. 1988, Cap. U-5, clause 1(e)

Minister of Environment, Labour and Justice and Attorney General

Order-in-Council EC2011-558 of 15 November 2011 is hereby rescinded.

EXECUTIVE COUNCIL ACT MINISTER OF ENVIRONMENT, LABOUR AND JUSTICE AND ATTORNEY GENERAL AUTHORITY TO ENTER INTO AN AGREEMENT (CONFEDERATION BRIDGE POLICING SERVICES CONTRIBUTION AGREEMENT) WITH THE GOVERNMENT OF CANADA

Pursuant to clause 10(a) of the *Executive Council Act* R.S.P.E.I. 1988, Cap. E-12 Council authorized the Minister of Environment, Labour and Justice and Attorney General to enter into an agreement with the Government of Canada, as represented by the Minister of Transport, to set out terms and conditions whereby the province will be reimbursed for eligible costs for policing services provided by the Provincial Police Service on and within the area of the Confederation Bridge for the period April 1, 2013 to March 31, 2014, such as more particularly described in the draft agreement.

EC2013-535

FARM PRACTICES ACT FARM PRACTICES REVIEW BOARD APPOINTMENTS

Pursuant to subsection 3(1) of the *Farm Practices Act* R.S.P.E.I. 1988, Cap. F-4.1 Council made the following appointments:

NAME	TERM OF APPOINTMENT
via clause (a)	
Heather Dixon Cornwall	23 July 2013
(vice Alan Coffin, term expired)	to 23 July 2016
Kenneth Monaghan	25 September 2012
South Melville (reappointed)	to 25 September 2015
via clause (b)	
Barry Green	23 July 2013
Central Bedeque (vice John MacDonald, term expired	to 23 July 2016
Ronald MacWilliams	23 July 2013
West Cape (vice Stewart MacRae, term expired)	to 23 July 2016
Edwin McKie	23 July 2013
Howe Bay	to
(vice Joanne Mutch, resigned)	23 July 2016
Kevin Simmons	23 July 2013
Irishtown	to

23 July 2016

(vice Cynthia Frizzell, term expired)

Elwin Wyand	23 July 2013
Cavendish	to
(Alvin Keenan, term expired)	23 July 2016

Further, Council designated Kenneth Monaghan as vice-chairperson of the Board in accordance with subsection 3(2) of the Act.

EC2013-536

FATHERS OF CONFEDERATION BUILDINGS ACT FATHERS OF CONFEDERATION BUILDINGS TRUST APPOINTMENTS

Pursuant to section 3 of the *Fathers of Confederation Buildings Act* R.S.P.E.I. 1988, Cap. F-6 Council made the following appointments:

NAME	TERM OF APPOINTMENT
via subsection (1)	
Jim Travers, Q.C.	31 July 2013
Charlottetown	to
(reappointed)	31 July 2016
Bob Sears	31 July 2013
Charlottetown	to
(vice Danny Murphy, resigned)	31 July 2016
via subsection (2)	
Richard Homburg	31 July 2013
Nova Scotia	to
(reappointed)	31 July 2016
Naomi Z. Levine	31 July 2013
Manitoba	to
(reappointed)	31 July 2016
Louis W. MacEachern	31 July 2013
Alberta	to
(reappointed)	31 July 2016
Dan Mathieson	31 July 2013
Ontario	to
(reappointed)	31 July 2016
Claude Métras	31 July 2013
Quebec	to
(reappointed)	31 July 2016
Janis Sobey-Hames	31 July 2013
Nova Scotia	to
(reappointed)	31 July 2016
Jeffrey D. Symons	31 July 2013
New York	to
(reappointed)	31 July 2016

FINANCIAL ADMINISTRATION ACT DEPARTMENT OF FINANCE, ENERGY AND MUNICIPAL AFFAIRS AUTHORITY TO CANCEL PROVINCIAL INCOME TAX ACCOUNT (APPROVED)

Pursuant to subsection 26(1) of the *Financial Administration Act* R.S.P.E.I. 1988, Cap. F-9, Council authorized the cancellation, discharge and release of provincial income tax owing by Reginald Porter in the amounts of \$520.47, \$520.07, \$229.03 and \$217.48 and all relevant interest on those amounts, for the 1992, 1998, 1999 and 2000 taxation years, respectively.

EC2013-538

FINANCIAL ADMINISTRATION ACT CERTAIN ACCOUNTS RECEIVABLE OF DEPARTMENT OF COMMUNITY SERVICES AND SENIORS AUTHORITY TO WRITE-OFF (APPROVED)

Pursuant to subsection 26.1(1) of the *Financial Administration Act* R.S.P.E.I. 1988, Cap. F-9, Council authorized the write-off of certain accounts receivable of the Department of Community Services and Seniors (Child and Family Services) totalling \$6,145.29 as at December 31, 2012.

Further, Council noted that this amount is offset by provision for doubtful accounts in the Department of Community Services and Seniors.

EC2013-539

FINANCIAL ADMINISTRATION ACT PRINCE EDWARD ISLAND GRAIN ELEVATORS CORPORATION GUARANTEE OF LOAN

Having under consideration the recommendation of Treasury Board (reference Minute TB#165/13 of July 10, 2013), pursuant to subsection 32(1) of the *Financial Administration Act* R.S.P.E.I. 1988, Cap. F-9 Council agreed to guarantee payment of a revolving line of credit loan by Prince Edward Island Grain Elevators Corporation (hereinafter referred to as "the borrower") in an amount not exceeding eight million dollars (\$8,000,000.00) (hereinafter referred to as the "guaranteed indebtedness") together with interest thereon at prime minus zero decimal two five (0.25) percent, plus a standby fee of zero decimal zero six two five (0.0625) percent on the daily unused portion of the line of credit to the Bank of Nova Scotia in Summerside, Prince Edward Island (hereinafter referred to as "the lender"), from the 23rd day of July 2013 through to and including 1700 hours on the 31st day of July 2014, the said guarantee to be subject to and conditional upon the following terms and conditions:

- 1. The guaranteed indebtedness, including interest, shall be due and payable in full by the borrower no later than the 31st day of July 2014.
- 2. Any advances made by the lender after the 31st day of July 2014 shall not form part of the guaranteed indebtedness.
- 3. The guarantee shall absolutely expire and be null and void without notice to the lender at 1700 hours on the 31st day of July 2014 regardless of any advances that may have been made by the lender to the borrower unless on or before the

- 31st day of July 2014, notice has been given to the Government of Prince Edward Island, as represented by the Minister of Finance, Energy and Municipal Affairs that the borrower has defaulted in repayment of the guaranteed indebtedness to the lender, and calling upon the Minister of Finance, Energy and Municipal Affairs to pay the lender pursuant to the guarantee. The written notice shall include a copy of the written demand given by the lender to the borrower calling upon the borrower to pay the balance in full.
- 4. Government shall be entitled at any time to terminate the guarantee by paying to the lender such amount of the guaranteed indebtedness as may be owing by the borrower to the lender and the lender shall assign to the government all security the lender holds in connection with the guaranteed indebtedness.
- 5. The Minister of Finance, Energy and Municipal Affairs may add such further terms and conditions to the guarantee as he considers appropriate.
- 6. The guarantee shall not become effective until the lender has agreed in writing to the terms and conditions herein contained and those imposed by the Minister of Finance, Energy and Municipal Affairs pursuant to paragraph 5 above. The guaranteed indebtedness shall not include any advances made by the lender prior to the agreement by the lender with the terms and conditions herein contained and those imposed by the Minister of Finance, Energy and Municipal Affairs.

Order-in-Council EC2012-561 of September 25, 2012 is hereby rescinded.

EC2013-540

ISLAND REGULATORY AND APPEALS COMMISSION ACT ISLAND REGULATORY AND APPEALS COMMISSION APPOINTMENTS

Pursuant to sections 2 and 3 of the *Island Regulatory and Appeals Commission Act* R.S.P.E.I. 1988, Cap. I-11, Council made the following appointments:

NAME

TERM OF APPOINTMENT

via clause 3(1)(c), as a full-time commissioner

John Broderick 31 December 2012

Charlottetown to

(reappointed) 31 December 2017

via clause 3(1)(d), as a part-time commissioner

Michael David Campbell 18 May 2013

Charlottetown to

(reappointed) 18 May 2016

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING MURRAY GORDON COLEMAN (APPROVAL)

Pursuant to section 4 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Murray Gordon Coleman of Calgary, Alberta to acquire an interest in a land holding of approximately thirty-five decimal nine two (35.92) acres of land in Lot 21, Queens County, Province of Prince Edward Island, being acquired from John Douglas Foster of Calgary, Alberta.

Further, Council noted that the said land holding, being Provincial Property Nos. 458430, 906248 and 906255, was previously subject to a condition preventing subdivision in accordance with section 9 of the said Act. This subdivision restriction continues to apply.

EC2013-542

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING MARK CZAJKOWSKI AND WENDY CZAJKOWSKI (APPROVAL)

Pursuant to section 4 and section 9 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Mark Czajkowski and Wendy Czajkowski, both of St. Mary's, Ontario to acquire a land holding of approximately sixty-five (65) acres of land in Lot 55, Kings County, Province of Prince Edward Island, being acquired from Sherri Doherty of Morell, Prince Edward Island PROVIDED THAT the said real property is identified for non-development use pursuant to the Land Identification Regulations (EC606/95) made under the said Act.

EC2013-543

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING TIMOTHY JOHN JAMES (APPROVAL)

Pursuant to section 4 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Timothy John James of Edmonton, Alberta to acquire a land holding of approximately sixteen decimal two nine (16.29) acres of land in Lot 63, Kings County, Province of Prince Edward Island, being acquired from Robert F. Johnston and Stefanie H. Johnston, both of Strafford, Vermont.

Further, Council noted that part of the said land holding, being Provincial Property No. 251959, was previously identified for non-development use in accordance with section 2 of the Land Identification Regulations (EC606/95) made under the said Act. Identification continues to apply.

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING 101208 P.E.I. INC. (APPROVAL)

Pursuant to section 5 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to 101208 P.E.I. Inc. of North Rustico, Prince Edward Island to acquire a land holding of approximately zero decimal seven (0.7) acres of land in Lot 24, Queens County, Province of Prince Edward Island, being acquired from Cavendish Sweater Inc. of North Rustico, Prince Edward Island.

EC2013-545

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING ATLANTIC SHELLFISH PRODUCTS INC. (APPROVAL)

Pursuant to section 5 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Atlantic Shellfish Products Inc. of Charlottetown, Prince Edward Island to acquire a land holding of approximately one decimal zero five (1.05) acres of land in Lot 40, Kings County, Province of Prince Edward Island, being acquired from Abegweit First Nations Band of Scotchfort, Prince Edward Island.

EC2013-546

PRINCE EDWARD ISLAND LANDS PROTECTION ACT APPLICATION TO LEASE LAND COMPTON BROS. INC. (TO RESCIND)

Council, having under consideration Order-in-Council EC2012-223 of May 2, 2012, rescinded the said Order forthwith, thus rescinding permission for Compton Bros. Inc. of Morell, Prince Edward Island to acquire, by lease, an interest in a land holding or land holdings of up to six hundred and seventy-six decimal five (676.5) acres of land as part of the said corporation's aggregate land holdings.

PRINCE EDWARD ISLAND LANDS PROTECTION ACT APPLICATION TO LEASE LAND COMPTON BROS. INC. (APPROVAL)

Pursuant to section 5 and clause 5.3(1)(b) of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Compton Bros. Inc. of Morell, Prince Edward Island to acquire, by lease, an interest in a land holding or land holdings of up to six hundred (600) acres of land as part of the said corporation's aggregate land holdings PROVIDED THAT the said Compton Bros. Inc. files a statement with the Island Regulatory and Appeals Commission within one year of the date of this Order and prior to 31 December in every subsequent year disclosing the parcel number, the acreage and the term of lease for each parcel leased during the reporting period covered by the statement.

EC2013-548

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING COMPTON BROS. INC. (APPROVAL)

Pursuant to section 5 and section 9 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Compton Bros. Inc. of Morell, Prince Edward Island to acquire a land holding of approximately ninety-two (92) acres of land in Lot 39, Kings County, Province of Prince Edward Island, being acquired from Preston Coffin of Morell, Prince Edward Island PROVIDED THAT the said real property is identified for non-development use pursuant to the Land Identification Regulations (EC606/95) made under the said Act.

EC2013-549

PRINCE EDWARD ISLAND
LANDS PROTECTION ACT
PETITION TO ACQUIRE A LAND HOLDING
BELL ALIANT REGIONAL COMMUNICATIONS INC.
(APPROVAL)

Pursuant to section 5 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Bell Aliant Regional Communications Inc. (successor to Aliant Telecom Inc. and Aliant Inc.) of Halifax, Nova Scotia to acquire, by lease, an interest in a land holding of approximately zero decimal zero two (0.02) acres of land in Lot 48, Queens County, Province of Prince Edward Island, being acquired from Great Hobbies Inc. of Stratford, Prince Edward Island.

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING ELWIN JAY HOLDINGS INC. (APPROVAL)

Pursuant to section 5 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Elwin Jay Holdings Inc. of Charlottetown, Prince Edward Island to acquire a land holding of approximately one decimal three nine (1.39) acres of land at Charlottetown, Queens County, Province of Prince Edward Island, being acquired from Ellis and Birt, Limited of Charlottetown, Prince Edward Island.

EC2013-551

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING HOWMAC FARMS LTD. (APPROVAL)

Pursuant to section 5 and section 9 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Howmac Farms Ltd. of North Wiltshire, Prince Edward Island to acquire a land holding of approximately fourteen decimal five (14.5) acres of land in Lot 23, Queens County, Province of Prince Edward Island, being acquired from Sterling MacRae of North Wiltshire, Prince Edward Island PROVIDED THAT the said real property is identified for non-development use pursuant to the Land Identification Regulations (EC606/95) made under the said Act.

EC2013-552

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING HOWMAC FARMS LTD. (APPROVAL)

Pursuant to section 5 and section 9 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Howmac Farms Ltd. of North Wiltshire, Prince Edward Island to acquire a land holding of approximately one hundred and twenty-six decimal eight three (126.83) acres of land in Lot 23, Queens County, Province of Prince Edward Island, being acquired from Sterling MacRae and Jean MacRae, both of North Wiltshire, Prince Edward Island PROVIDED THAT the said real property is identified for non-development use pursuant to the Land Identification Regulations (EC606/95) made under the said Act.

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING MARWOOD PROPERTIES INC. (APPROVAL)

Pursuant to section 5 and section 9 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Marwood Properties Inc. of Georgetown, Prince Edward Island to acquire a land holding of approximately eighty-nine (89) acres of land in Lot 44, Kings County, Province of Prince Edward Island, being acquired from Ivor Sargent of Sainte-Adèle, Quebec PROVIDED THAT identification for non-development use pursuant to the Land Identification Regulations (EC606/95) made under the said Act shall apply to each of the four lots that has received planning approval and also to the remaining land of approximately fifty-five decimal three (55.3) acres.

EC2013-554

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING SUMMERFIELD FARMS LTD. (APPROVAL)

Pursuant to section 5 and section 9 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Summerfield Farms Ltd. of Norboro, Prince Edward Island to acquire a land holding of approximately one hundred and sixty-three (163) acres of land in Lot 25, Prince County, Province of Prince Edward Island, being acquired from G. Morris Caseley of Summerside, Prince Edward Island PROVIDED THAT the said real property is identified for non-development use pursuant to the Land Identification Regulations (EC606/95) made under the said Act.

EC2013-555

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING SUMMERFIELD FARMS LTD. (APPROVAL)

Pursuant to section 5 of the *Prince Edward Island Lands Protection Act* R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Summerfield Farms Ltd. of Norboro, Prince Edward Island to acquire a land holding of approximately two hundred and twenty-nine (229) acres of land in Lot 67, Queens County, Province of Prince Edward Island, being acquired from G. Morris Caseley of Summerside, Prince Edward Island.

Further, Council noted that part of the said land holding, being Provincial Property Nos. 626531 and 762930, was previously identified for non-development use in accordance with section 2 of the Land Identification Regulations (EC606/95) made under the said Act. Identification continues to apply.

PRINCE EDWARD ISLAND LANDS PROTECTION ACT PETITION TO ACQUIRE A LAND HOLDING TRIPLE "W" ENTERPRISES INC. (APPROVAL)

Pursuant to section 5 and section 9 of the Prince Edward Island Lands Protection Act R.S.P.E.I. 1988, Cap. L-5 Council granted permission to Triple "W" Enterprises Inc. of Winsloe, Prince Edward Island to acquire a land holding of approximately one decimal five (1.5) acres of land in Lot 35, Queens County, Province of Prince Edward Island, being acquired from the Estate of Roger D.H. Black, c/o Hugh Kenneth Black, Executor, of London, Ontario PROVIDED THAT the said real property is identified for non-development use pursuant to the Land Identification Regulations (EC606/95) made under the said Act.

EC2013-557

PUBLIC HEALTH ACT **DECLARATION RE**

Under authority of section 77 of the Public Health Act, Stats. P.E.I. 2012, c. 20 Council ordered that a Proclamation do issue proclaiming the said "Public Health Act" to come into force effective September 1, 2013.

EC2013-558

PUBLIC HEALTH ACT EATING ESTABLISHMENTS AND LICENSED PREMISES REGULATIONS **AMENDMENT**

Made by the Lieutenant Governor in Council under section 72 of the Public Health Act R.S.P.E.I. 1988, Cap. P-30.1:

1. The Introduction of the Public Health Act Eating Establishments and Licensed Premises Regulations (EC16/79) is revoked and the following substituted:

Pursuant to section 72 of the Public Health Act R.S.P.E.I. 1988, Cap. P-30.1, Council made the following regulations:

2. Section 1 of the regulations is amended

- (a) by the revocation of clauses (a) and (a.1) and the substitution of the following:
- (a) "Act" means the Public Health Act R.S.P.E.I. 1988, Cap. P-30.1; Act
- (a.1) "approved" means approved by the Director;

approved

(a.2) "bed and breakfast" means a private residence occupied by the bed and breakfast owner or operator in which overnight accommodations and food service are provided to guests for compensation;

- (b) by the revocation of clause (b) and the substitution of the following:
- (b) "Chief Public Health Officer" means the Chief Public Health Chief Public Health Officer appointed under section 4 of the Act;

- (c) in clause (e), by the addition of the word "food" after the word "any";
- (d) by the revocation of clause (g);

(e) by the revocation of clause (h) and the substitution of the

- (h) "inspector" means a public health officer appointed pursuant to inspector section 6 of the Act;
- (h.1) "license" means a license issued by the Minister under license subsection 10(3) of the Act;
- (h.2) "license holder" means a person who holds a license to operate license holder a food premises and, for the purposes of these regulations, includes an agent of the license holder and a person to whom that license holder has delegated responsibility for the day-to-day operation of the food premises;

- (f) in clause (k), by the addition of the words "and Wellness" after the word "Health".
- 3. The heading immediately before section 40 and sections 40 to 43 of the regulations are revoked and the following substituted:

LICENSING

40. (1) The Minister shall not issue or renew a license for the operation Requirements for of a food premises unless an application in respect of the license is application received by the Minister, in the form required by the Minister, containing,

- (a) in respect of a new license, a description and plan of the site, building and equipment and information respecting the food to be served in the food premises and the cleaning protocols to be implemented by the applicant; and
- (b) in respect of a renewal of a license, information respecting any changes to the information provided for the issuance of the existing license that have not been reported to the Minister pursuant to subsection (6).
- (2) In addition to the requirements of subsection (1), an applicant for a Additional license or a renewal of a license shall comply with the applicable requirements requirements of the Act and these regulations and pay the licensing fee set out in subsection (5).

- (3) A license shall be issued by the Minister in the form established by Form of license the Minister.
- (4) A license issued by the Minister under this section expires on Expiry March 31.
- (5) The fee for a license or the renewal or reinstatement of a license is Fee as follows:

(a) for a Type I Establishment	\$100
(b) for a Type II Establishment	\$35
(c) for a Type III Establishment	no charge
(d) for a Type IV Establishment	\$25
(e) for a Type V Establishment	\$50.

(6) A license holder shall report any change to the information Requirement to provided by the license holder for the license or renewal of the license report that occurs within the term of the license to the Minister as soon as

(7) A food premises license is not transferable.

transferable

(8) A license holder shall display the license in a location in the food License must be premises where it can easily be seen by the public.

(9) The Minister may revoke a license containing information that has Revocation and changed as referred to in subsection (6) and may, on payment of the required fee set out in subsection (5), issue a new license to the license holder based on the new information provided.

issuing of new

41. (1) Where the Minister imposes terms and conditions on a license in Terms and accordance with subsection 11(2) of the Act, the Minister shall notify the conditions license holder in writing respecting the terms and conditions.

(2) The terms and conditions referred to in subsection (1) may be, but Idem are not limited to, limitations or conditions respecting food preparation, handling and storage practices that the license holder is

- (a) required to adopt; or
- (b) prohibited from using.
- 42. (1) The Minister may refuse to issue or renew or may suspend a Refusal, suspension food premises license for a term of up to 30 days where
 - (a) the food premises, its equipment or its operation do not meet the requirements of the Act or these regulations;
 - (b) the license holder fails to comply with the provisions of the Act or these regulations;
 - (c) the Minister has reason to believe that the public will be endangered if the food premises is allowed to continue operating; or
 - (d) the license holder has failed or is unable to take immediate corrective measures, as referred to in clause (2)(b), to remedy a contravention or failure to meet the requirements of the Act or these regulations.
- (2) The Minister shall not suspend a license under subsection (1) Limitation on unless

- (a) a public health official has, at the time of inspection, notified the license holder of the failure to comply with the relevant provision of the Act or these regulations;
- (b) a public health official has provided the license holder with a copy of an inspection report prepared by the public health official that sets out the failure to comply with the relevant provision of the Act or these regulations, the required corrective measures and the dates by which these measures shall be implemented in order to avoid suspension; and
- (c) a notice of suspension of license is delivered to the license holder.
- (3) A suspension of a license under subsection (1) shall remain in Term of suspension effect
 - (a) until the required corrective measures have been taken by the license holder and have been verified by a public health official; or
 - (b) throughout the period referred to in subsection (1) or a longer period imposed by the Minister under subsection (5).
- (4) A license holder whose license has been suspended shall pay the Reinstatement fee reinstatement fee set out in subsection 40(5) prior to reinstatement of the license.

(5) If it is not possible for the license holder to implement the required Longer period of corrective measures within the period referred to in subsection (1), the Minister may impose a longer period of time that the Minister considers adequate to implement those measures if, in the opinion of the Minister, the longer period does not create a significant risk to human health.

43. (1) A person who is aggrieved by the decision of the Minister under Appeal subsection 42(1) or (5) or the imposition of terms and conditions on his or her license under subsection 11(2) of the Act may appeal the decision or imposition to the Supreme Court within 30 days after being served

- with notice of the decision or imposition.
 - (2) On hearing an appeal, the Supreme Court may

Powers of court on

- (a) confirm, revoke or vary the terms and conditions imposed by the appeal Minister or the decision appealed from;
- (b) refer the matter, or any issue, back to the Minister for further consideration: or
- (c) provide any direction that it considers appropriate.
- (3) The Supreme Court may make any order as to the costs of an Costs appeal that it considers appropriate.
- 4. The regulations are amended in the following provisions by the deletion of the words "Chief Health Officer" wherever they occur and the substitution of the words "Chief Public Health Officer":
 - (a) clause 5(a);
 - (b) clause 26(d);
 - (c) section 27.
- 5. These regulations come into force on September 1, 2013.

EXPLANATORY NOTES

SECTION 1 corrects a reference to the regulation-making authority in the Introduction to the regulations.

SECTION 2 amends section 1 of the regulations for consistency with the terminology used in the new Public Health Act.

SECTION 3 revokes sections 40 to 43 of the regulations and substitutes new sections 40, 41, 42 and 43.

Section 40 deals with licensing of eating establishments, including the information to be provided by an applicant, the fees to be paid, and the requirement to display the license where it can be seen by the public.

Section 41 authorizes the Minister to impose terms and conditions on a license in accordance with subsection 11(2) of the Act.

Section 42 authorizes the Minister to refuse to issue or renew a license, or to suspend a license for up to 30 days in the circumstances set out in clauses 42(1)(a) to (d). The license holder must be notified of the suspension and the reasons for it, but if the license holder is unable to rectify the problem within the term of the suspension, the Minister may impose a longer period during which the corrective measures must be implemented.

Finally, section 43 authorizes an appeal to the Supreme Court by a person who is aggrieved by a decision of the Minister under subsection 42(1) or (5) or to impose terms and conditions on a license pursuant to subsection 11(2) of the Act.

SECTION 4 amends several provisions of the regulations by changing references to the Chief Health Officer to the Chief Public Health Officer, for consistency with the terminology used in the Act.

SECTION 5 provides for the commencement of these regulations.

EC2013-559

PUBLIC HEALTH ACT MILK PROCESSING REGULATIONS **AMENDMENT**

Pursuant to section 72 of the Public Health Act R.S.P.E.I. 1988, Cap. P-30.1, Council made the following regulations:

1. The Introduction of the Public Health Act Milk Processing Regulations (EC417/12) is revoked and the following substituted:

Pursuant to section 72 of the Public Health Act R.S.P.E.I. 1988, Cap. P-30.1, Council made the following regulations:

- 2. Section 1 of the regulations is amended
 - (a) in clause (a), by the deletion of the words "Cap. P-30" and the substitution of the words "Cap. P-30.1"; and
 - (b) in clause (k), by the deletion of the words "section 11" and the substitution of the words "section 14".
- 3. Section 2 of the regulations is revoked and the following substituted:
- 2. (1) The Minister shall not issue or renew a license for the operation of License for milk a milk processing plant unless an application in respect of the license is processing plant received by the Minister, in the form required by the Minister, containing
 - (a) in respect of a new license, a description and blueprint of the site, building and equipment, a product flow diagram, information about the source of the raw milk, cleaning and sanitizing protocols, recall protocols, the products to be processed and the processes to be used: and
 - (b) in respect of the renewal of a license, information respecting any changes in the information provided for the issuance of the existing

license that have not been reported to the Minister pursuant to

(2) In addition to the requirements of subsection (1), an applicant for a Compliance license or the renewal of a license for a milk processing plant shall comply with the applicable requirements of the Act and these regulations and pay the licensing fee set out in subsection (4).

(3) A license for a milk processing plant shall be issued by the Issuance of license Minister in the form established by the Minister.

(4) The fee for a license or the renewal of a license is \$300.

(5) A milk processing plant license issued under this section expires Expiration on December 31.

(6) A license holder shall report any change in the information Requirement to provided by the license holder for the purposes of subsection (1) that report changes occurs within the term of the license to the Minister as soon as practicable.

(7) A milk processing plant license is not transferable.

License not

(8) The Minister may revoke a license that contains information that Revocation and has changed as referred to in subsection (6) and may issue a new license reissue of license to the license holder, based on the new information provided, on payment of the licensing fee set out in subsection (4).

(9) Where the Minister imposes terms and conditions on a license Notice of terms and issued under this section in accordance with subsection 14(4) of the Act, condition the Minister shall notify the license holder in writing respecting the terms and conditions being imposed.

(10) The terms and conditions referred to in subsection (9) may be, but Terms and are not limited to, limitations or conditions respecting

- (a) production processes;
- (b) products that may be processed;
- (c) use of equipment;
- (d) employment in production processes of persons who are not fully qualified; or
- (e) storage of raw materials prior to processing.

4. Section 3 of the regulations is amended

- (a) in subsection (1),
 - (i) by the deletion of the words "renew or may suspend the license for a milk processing plant" and the substitution of the words "renew, or may suspend a milk processing plant license for a term of up to 30 days,", and
 - (ii) in clause (d), by the addition of the words "as referred to in clause (2)(b)" after the words "corrective measures";
- (b) in clause (2)(c), by the deletion of the word "operator" and the substitution of the words "license holder"; and
- (c) by the revocation of clause (3)(b) and the substitution of the following:
- (b) throughout the period referred to in subsection (1) or a longer period imposed by the Minister under section 4.
- 5. Subsection 4(3) of the regulations is revoked.
- 6. Subsection 5(1) of the regulations is amended by the deletion of the words "section 11(6)" and the substitution of the words "subsection 14(4)".
- 7. Subsection 8(11) of the regulations is amended by the deletion of the words "within one hour".
- 8. Section 21 of the regulations is amended by renumbering it as subsection 21(1).
- 9. The regulations are amended in the following provisions by the deletion of the words "Chief Health Officer" wherever they occur and the substitution of the words "Chief Public Health Officer":
 - (a) section 26;

- (b) subsections 27(1) and (2);
- (c) subsections 28(1) and (2);
- (d) section 29.
- 10. The regulations are amended in the following provisions by the deletion of the words "health officer" wherever they occur and the substitution of the words "public health official":
 - (a) subsections 3(2) and (3);
 - (b) clause 4(3)(a);
 - (c) subsections 21(1) and (2);
 - (d) subsections 22(1) and (2);
 - (e) section 24;
 - (f) clause 25(d).
- 11. These regulations come into force on September 1, 2013.

EXPLANATORY NOTES

SECTION 1 corrects a reference to the regulation-making authority in the Introduction to the regulations.

SECTION 2 amends clause 1(a) of the regulations to refer to the chapter number of the current *Public Heath Act*. It also amends clause 1(k) of the regulations to delete a reference to section 11 of the former *Public Health Act* in the definition of "license". The reference should be to section 14 of the current *Public Health Act*.

SECTION 3 revokes section 2 of the regulations and substitutes a new section 2 that establishes a new licensing process for milk processing plants based on the authority and organization provided in the new Act. An applicant for a license or a renewal of a license is required to provide detailed information respecting the proposed milk processing plant and its intended operations, including the products to be processed, and to pay the license fee of \$300. A license holder is required to report changes in the information on which the license is based to the Minister as soon as practicable, and the minister may revoke a license where the information has changed and issue a new license based on the new information provided, on payment of the fee. Where terms and conditions are imposed on a license in accordance with subsection 14(4) of the Act, the Minister is required to notify the license holder in writing of that fact. Terms and conditions may relate to

- production processes;
- products that may be processed;
- use of equipment;
- employment in production processes of persons who are not fully qualified; or
- storage of raw materials prior to processing.

SECTION 4 amends the opening words of subsection 3(1) to clarify that a suspension of a milk processing plant license under that subsection may be for a term of up to 30 days. The section amends clause 3(2)(b) to delete the term "operator" and substitute the term "license holder", for consistency. The section revokes clause (3)(b) and substitutes a new clause (b) to clarify the term of a suspension that may be imposed on a license holder.

SECTION 5 revokes subsection 4(3) of the regulations. The Act now provides an appeal process for persons whose licenses are revoked.

SECTION 6 amends subsection 5(1) of the regulations to delete a reference to section 11(6) of the former Act and substitute a reference to 14(4) of the current Act.

SECTION 7 amends subsection 8(11) by deleting the words "within one hour". The imposition of this time period was found to be unnecessary.

SECTION 8 amends section 21 of the regulations to correct an error in

SECTION 9 amends a number of provisions to change the title "Chief Health Officer" to "Chief Public Health Officer", for consistency with the terminology of the Act.

SECTION 10 amends a number of provisions to change the title "health officer" to "public health official", for consistency with the terminology of the Act.

SECTION 11 provides for the commencement of these regulations.

EC2013-560

PUBLIC HEALTH ACT NOTIFIABLE DISEASES AND CONDITIONS AND COMMUNICABLE DISEASES REGULATIONS

Pursuant to section 72 of the Public Health Act R.S.P.E.I. 1988, Cap. P-30.1, Council made the following regulations:

1. In these regulations

Definitions

(a) "Act" means Public Health Act R.S.P.E.I. 1988, Cap. P- 30.1;

(b) "carrier" means a person who, without apparent symptoms of a carrier disease, harbours and may disseminate the infectious agent;

- (c) "control measure" means a procedure or condition applied in control measure order to contain or prevent the spread of communicable disease, and may include restricting a person's work, school or other community activity, detaining, hospitalizing, isolating or quarantining a person, providing public notification of risk, and disinfection or disposal of articles and substances;
- (d) "health practitioner" means a health practitioner as defined in health practitioner the Consent to Treatment and Health Care Directives Act R.S.P.E.I. 1988, Cap. C-17.2.

Chief Health Officer, duties and

2. (1) The Chief Public Health Officer

- (a) shall have overall responsibility for the control of communicable diseases in the province, including the investigation, management and follow-up of cases and agents of transmission;
- (b) shall be the final medical authority on all matters pertaining to control of communicable diseases;
- (c) may provide instructions to health practitioners involved in the treatment, follow-up and control of communicable diseases;
- (d) may require the reporting of notifiable diseases and conditions by any person with knowledge of an occurrence of the notifiable disease or condition; and
- (e) shall be responsible for the monitoring of notifiable diseases or conditions and may by order specify procedures, including frequency and form, for the reporting of them.
- (2) Where the Chief Public Health Officer has delegated a power or Authority of duty of the Chief Public Health Officer under these regulations to a person or agency, including a public health official, medical practitioner and a unit of a government or health-system organization such as a laboratory or office for the compiling of information, references in the applicable provisions of these regulations to the Chief Public Health Officer shall be read as references to the person or agency, as the case may be.

3. Every person is required to comply with the provisions of these compliance regulations as applicable, and with any particular order the Chief Public required Health Officer may issue in accordance with these regulations.

communicable disease, including a suspected carrier or contact, shall (a) if the person suspects an infection or is informed by a medical practitioner or public health official that he or she is or is suspected of being infected, place himself or herself under the care of a medical practitioner or direction of a public health official;

4. A person who is, or is suspected of being, infected with a Duties of person infected or suspected

- (b) submit to diagnostic examination, treatment and control measures as directed by the medical practitioner or Chief Public Health Officer: and
- (c) identify any contact, and provide any other relevant information that may be required, to the medical practitioner or Chief Public Health Officer.
- 5. The owner of an animal, substance or any thing which is a suspected Duty of an owner of or known transmitter of a communicable disease shall comply with any transmitting agent direction by the Chief Public Health Officer for the purpose of preventing spread of the communicable disease.

6. When a person infected with a communicable disease is known to be Case relocating relocating, the Chief Public Health Officer shall forward information concerning the case to the public health authority of the district of destination.

7. A person directed by the Chief Public Health Officer shall submit Reports reports of notifiable diseases or conditions, with any further information as may be required, as directed to the Chief Public Health Officer and to the appropriate agencies of the Government of Canada for purposes of national disease surveillance.

8. The following are designated as institutions for the purposes of section Designated 34 of the Act:

- (a) a camp;
- (b) a community care facility;
- (c) a university or college.
- 9. (1) For the purposes of section 35 of the Act, the following persons Reports to shall report to the administrator of a health facility at the times and in the administrator manner required by the administrator:

- (a) a health practitioner, with respect to information respecting an occurrence or suspected occurrence of a notifiable disease or condition that comes to the health practitioner's attention in the course of carrying out his or her functions in the health facility;
- (b) the Director of Laboratory Services, Queen Elizabeth Hospital, with respect to laboratory findings pertaining to a notifiable disease or condition.
- (2) In addition to the requirements of clause (1)(b), the Director of Reports to Chief Laboratory Services, Queen Elizabeth Hospital, shall report directly to the Chief Public Health Officer with respect to laboratory findings pertaining to a notifiable disease or condition.

Officer

10. A medical practitioner or the Chief Public Health Officer may Information to provide information concerning the condition of a person who is or is suspected of being infected with a communicable disease to members of the person's family for the protection of their health.

11. Responsibility for the costs or losses which may result from control Financial measures rests with the person or persons affected by those measures, not responsibility with the Chief Public Health Officer or other person who may impose or supervise the carrying out of the measures.

12. (1) The following are notifiable diseases or conditions, the Notifiable diseases occurrence of which, in humans, may be required to be reported to the Chief Public Health Officer in the manner directed by the Chief Public Health Officer:

- (a) any occurrence of the following
 - (i) enteric, food and waterborne diseases, including but not limited
 - (A) Amoebiasis,
 - (B) Botulism,
 - (C) Campylobacteriosis,
 - (D) Cholera,
 - (E) Cryptosporidiosis,
 - (F) Cyclosporiasis,
 - (G) Giardiasis,
 - (H) Hepatitis A,
 - (I) Listeriosis,
 - (J) Paralytic Shellfish Poisoning,
 - (K) Salmonellosis,
 - (L) Shigellosis,
 - (M) Typhoid,

- (N) Verotoxic Escherichia coli,
- (O) Haemolytic uremic syndrome,
- (P) Vibrio parahaemolyticus,
- (Q) Yersiniosis,
- (ii) diseases transmitted by respiratory routes, including but not limited to:
 - (A) Hantavirus,
 - (B) Invasive Group A Streptococcal Disease,
 - (C) Invasive Meningococcal Disease,
 - (D) Invasive Pneumococcal Disease,
 - (E) Influenza,
 - (F) Legionellosis,
 - (G) Leprosy,
 - (H) Severe Acute Respiratory Syndrome,
 - (I) Tuberculosis,
- (iii) diseases spread by direct contact or through the provision of health care, including but not limited to:
 - (A) Clostridium difficile,
 - (B) Creutzfeld-Jacob Disease, Classic,
 - (C) Creutzfeld-Jacob Disease, Variant,
 - (D) Extensively drug-resistant Enterobacteriaceae,
 - (E) Group B Streptococcal Disease of the Newborn,
 - (F) Herpes (neonatal),
 - (G) Methicillin Resistant Staphylococcus aureus (including colonizations),
 - (H) Vancomycin Resistant Enterococci (infections only),
- (iv) disease preventable by routine vaccination, including but not limited to:
 - (A) Poliomyelitis,
 - (B) Varicella,
 - (C) Diphtheria,
 - (D) Invasive Haemophilus influenzae Serotype B,
 - (E) Invasive *Haemophilus influenzae* non-B (non-vaccine preventable),
 - (F) Hepatitis B,
 - (G) Measles,
 - (H) Mumps,
 - (I) Pertussis,
 - (J) Rotavirus,
 - (K) Rubella,(L) Congenital Rubella syndrome,
 - (M) Tetanus,
- (v) sexually transmitted and bloodborne pathogens, including but not limited to:
 - (A) Chlamydia,
 - (B) Gonorrhea,
 - (C) Hepatitis C,
 - (D) Herpes Simplex,
 - (E) Human Immunodeficiency Virus,
 - (F) Lymphogranuloma Venereum,
 - (G) Syphilis,
- (vi) vectorborne and other zoonotic diseases, including but not limited to:
 - (A) Anthrax,
 - (B) Brucellosis,
 - (C) Malaria,(D) Plague,
 - (E) Rabies,
 - (F) Tularemia,
 - (G) West Nile Virus,
 - (H) Yellow Fever,
 - (I) Lyme Disease,
- (vii) other diseases and conditions, including but not limited to:
 - (A) Cancer,
 - (B) Viral Hemorrhagic Fevers,
 - (C) Smallpox,
 - (D) novel organisms deemed as having pandemic potential by
 - the World Health Organization,
 - (E) adverse events following immunization (AEFI),
 - (F) Acute Flaccid Paralysis,
 - (G) severe acute respiratory disease of unknown etiology;
- (b) any occurrence of any of the following if the disease appears epidemic or the case shows unusual features:

- (i) enteric outbreaks (includes Norovirus), and
- (ii) outbreaks of
 - (A) Influenza-like illness,
 - (B) Impetigo,
 - (C) Ringworm,
 - (D) Pediculosis,
 - (E) Scabies.
- (2) The notifiable diseases specified in subsection (1) are Communicable communicable diseases for the purposes of the Act, with the exception of diseases the following diseases and conditions:
 - (a) Paralytic Shellfish Poisoning;
 - (b) Haemolytic uremic syndrome;
 - (c) Congenital Rubella syndrome;
 - (d) Cancer;
 - (e) adverse events following immunization (AEFI); and
 - (f) Acute Flaccid Paralysis.
- **13.** The Notifiable and Communicable Diseases Regulations (EC330/85) Revocation are revoked.
- **14.** These regulations come into force on September 1, 2013.

Commencement

EXPLANATORY NOTES

SECTION 1 establishes definitions for the purposes of the regulations.

SECTION 2 establishes the functions of the Chief Public Health Officer under the regulations and clarifies that where the Chief Public Health Officer has delegated a function or power to a person or agency, the applicable references in the regulations to the Chief Public Health Officer are to be read as references to the person or agency.

SECTION 3 requires compliance with the provisions of the regulations and any directions given by the Chief Public Health Officer in accordance with the regulations.

SECTION 4 requires a person who is, or is suspected of being, infected with a notifiable disease or condition, including a carrier or a contact, to place himself or herself under the care of a medical practitioner or the direction of a public health official, to submit to diagnostic examination, treatment and control measures as directed by the medical practitioner or the Chief Public Health Officer, and to identify any contact and provide other relevant information as required to the medical practitioner or the Chief Public Health Officer.

SECTION 5 requires the owner of an animal, substance or any thing which is a suspected or known transmitter of a notifiable disease or condition to comply with a direction by the Chief Public Health Officer for the purpose of preventing spread of the notifiable disease or condition.

SECTION 6 provides that, where a person with a notifiable disease or condition is moving, the Chief Public Health Officer shall forward information concerning the case to the public health authority of the person's district of destination.

SECTION 7 requires a person directed by the Chief Public Health Officer to submit reports of notifiable diseases and conditions and accompanying information to the Chief Public Health Officer and to the appropriate agencies of the Government of Canada for the purpose of national disease surveillance.

SECTION 8 designates camps, community care facilities and universities or colleges as institutions for the purposes of section 34 of the Act.

SECTION 9 establishes the persons who are required to report to the administrator of a health facility for the purposes of section 35 of the Act as health practitioners, with respect to information about an occurrence or suspected occurrence of a notifiable disease or condition that comes to their attention in the course of carrying out their functions in the health

facility, and the Director of Laboratory Services of the Queen Elizabeth Hospital, with respect to laboratory findings pertaining to a notifiable disease or condition.

SECTION 10 provides that a medical practitioner or the Chief Public Health Officer may provide information concerning the condition of a person who is or is suspected of being infected with a notifiable disease or condition to members of the person's family for the protection of their

SECTION 11 provides that responsibility for costs or losses which may result from control measures rests with the persons affected by those measures and not with the Chief Public Health Officer or other person who may impose or supervise the carrying out of the measures.

SECTION 12 establishes the notifiable diseases or conditions whose occurrence in humans may be required to be reported to the Chief Public Health Officer and specifies which of those diseases are communicable diseases.

SECTION 13 revokes the Notifiable and Communicable Diseases Regulations (EC330/85).

SECTION 14 provides for the commencement of the regulations.

EC2013-561

PUBLIC HEALTH ACT TANNING FACILITY REGULATIONS

Pursuant to section 72 of the Public Health Act R.S.P.E.I. 1988, Cap. P-30.1, Council made the following regulations:

- 1. In these regulations, "Act" means the Public Health Act R.S.P.E.I. Act, defined 1988, Cap. P-30.1.
- 2. The following forms of identification are prescribed for the purposes Identification of subsection 18(2) of the Act:
 - (a) a P.E.I. driver's license;
 - (b) a provincial photographic identification card;
 - (c) a passport, Certificate of Canadian Citizenship or permanent resident certificate issued by the federal government; or
 - (d) any other document issued by the federal government or the government of a province or territory that contains the person's photograph, date of birth and signature.
- **3.** The following information is prescribed for the purposes of section 20 Information of the Act:
 - (a) the business name, telephone number and address, and e-mail address, if any, of the tanning facility;
 - (b) the name and mailing address of the owner of the tanning facility;
 - (c) a list of all tanning equipment on location at the tanning facility, including the name of the manufacturer, model name and number, if applicable, and serial number of the equipment.
- **4.** (1) The sign prescribed for the purposes of section 21 of the Act shall signage be in the form and contain the information specified in the Schedule to these regulations.
- (2) The owner of a tanning facility is responsible for ensuring that Responsibility of signs that comply with the requirements of subsection (1) are

- (a) located
 - (i) within one metre of each cash register where access to tanning equipment is sold and in an unobstructed position where customers can easily view the sign before purchasing access to tanning equipment, and
 - (ii) within one metre of each item of tanning equipment and in an unobstructed position where customers can easily view the sign before using the tanning equipment; and
- (b) maintained so as to be readily legible.
- **5.** (1) The registration fee for a tanning facility is \$100.

(2) The registration for a tanning facility expires three years after the Expiry of date of registration.

(3) The registration for a tanning facility is not transferable.

Registration not transferable

6. These regulations come into force on September 1, 2013.

Commencement

Schedule

TANNING EQUIPMENT EMITS ULTRAVIOLET RADIATION!

Exposure to ultraviolet radiation contributes to skin cancer and skin ageing and repeated exposure further increases risk.

It is illegal for persons under 18 years of age to access tanning equipment in Prince Edward Island.



Health and Wellness

EXPLANATORY NOTES

SECTION 1 establishes the definition of "Act" for the purposes of these regulations.

SECTION 2 prescribes the information required for the purposes of subsection 18(2) of the Act.

SECTION 3 prescribes the information required for the purposes of section 20 of the Act.

SECTION 4 prescribes the signage required for the purposes of section 21 of the Act.

SECTION 5 establishes a registration fee of \$100 for a tanning facility. It also provides that the registration is valid for 3 years from the date of registration and is not transferable.

SECTION 6 provides for the coming into force of these regulations.

PUBLIC DEPARTMENTS ACT **ACTING MINISTERS APPOINTMENTS**

Under authority of subsection 4(2) of the Public Departments Act, R.S.P.E.I. 1988, Cap. P-29 the following appointments were made:

- 1. Honourable Wes Sheridan to be Acting Minister of Education and Early Childhood Development commencing on the 24th day of July 2013, and continuing for the duration of the absence from the Province of Honourable Alan McIsaac.
- 2. Honourable Robert Henderson to be Acting Minister of Innovation and Advanced Learning commencing on the 28th day of July 2013, and continuing for the duration of the absence from the Province of Honourable Allen Roach.

EC2013-563

WILDLIFE CONSERVATION ACT FUR HARVESTING REGULATIONS **AMENDMENT**

Pursuant to section 28 of the Wildlife Conservation Act R.S.P.E.I. 1988, Cap. W-4.1, Council made the following regulations:

- 1. Schedule C of the Wildlife Conservation Act Fur Harvesting Regulations (EC663/04) is revoked and Schedule C as set out in the Schedule to these regulations is substituted.
- 2. These regulations come into force on August 3, 2013.

SCHEDULE

SCHEDULE C

List of Approved Body-Gripping Traps (Certified under the Canadian Trap Certification Program and Approved for use as Killing Traps for Beaver, Muskrat and Raccoon in Prince Edward Island)

Beaver		
Traps approved for use underwater and on land:		
B.M.I. BT 300	LDL C330 Magnum	
Bélisle Classic 330	Rudy 280	
Bélisle Super X 280	Rudy 330	
Bélisle Super X 330	Sauvageau 1000-11F	
B.M.I. 280 Body Gripper	Sauvageau 2001-8	
B.M.I. 330 Body Gripper	Sauvageau 2001-11	
Bridger 330	Sauvageau 2001-12	
Duke 330	Species-Specific 330 Dislocator Half Magnum	
LDL C280	Species-Specific 440 Dislocator Half Magnum	
LDL C280 Magnum	Woodstream Oneida Victor Conibear 280	
LDL C330	Woodstream Oneida Victor Conibear 330	
Raccoon		
Traps approved for use on land:		
Bélisle Classic 220	LDL C 220	
Bélisle Super X 160	LDL C 220 Magnum	
Bélisle Super X 220	LDL C 280 Magnum	
Bélisle Super X 280	Northwoods 155	
B.M.I. 160 Body Gripper	Rudy 160	
B.M.I. 220 Body Gripper	Rudy 160 Plus	
B.M.I. 280 Body Gripper	Rudy 220	
B.M.I 280 Magnum Body Gripper	Rudy 220 Plus	
Bridger 160	Sauvageau 2001-6	

Duke 160 Sauvageau 2001-8 Species-Specific 220 Dislocator Half Magnum Duke 220 Woodstream Oneida Victor Conibear 160 Koro #2 LDL C 160 Woodstream Oneida Victor Conibear 220

Sauvageau 2001-7

Bridger 160 Bridger 220

Muskrat	
Traps approved for use on land:	
Bélisle Super X 110	Ouell RM
Bélisle Super X 120	Rudy 120
B.M.I. Body Gripper 120	Rudy 110
B.M.I. Body Gripper 120 Magnum	Rudy 120 Magnum
B.M.I. 126 Magnum	Sauvageau 2001-5
Bridger 120	Sauvageau C120 Magnum
Duke 120	Sauvageau C120 "Reverse Bend"
Koro Muskrat	Triple M
LDL B120 Magnum	Woodstream Oneida Victor Conibear 110
Ouell 4-11-180	Woodstream Oneida Victor Conibear 120

EXPLANATORY NOTES

SECTION 1 amends the Schedule C to reflect the most recent trap certification list pertaining to the list of approved body-gripping traps approved for use as killing traps for beaver, muskrat and raccoon in the province.

SECTION 2 provides for the commencement of these regulations.

EC2013-564

WILDLIFE CONSERVATION ACT HUNTING AND TRAPPING SEASONS REGULATIONS AMENDMENT

Pursuant to section 28 of the *Wildlife Conservation Act* R.S.P.E.I. 1988, Cap. W-4.1, Council made the following regulations:

1. Schedules I and II of the *Wildlife Conservation Act* Hunting and Trapping Seasons Regulations (EC330/99) are revoked and the following substituted:

SCHEDULE I

HUNTING SEASONS AND LIMITS

Game	Open Season	Daily	Possession
Pheasant	No open season	-	-
Ruffed Grouse	September 30 - December 31	3	6
Hungarian (Grey) Partridge	October 14 - November 9*	3	6
Snowshoe Hare*** (Rabbit)	October 1 - February 28	5	-
Fox	November 1 - January 31	-	-
Raccoon	October 1 – March 31**	-	-
Coyote	October 1 - March 31**	-	-
Red Squirrel	No closed season	-	-

NOTE:

* There will be no open season for Hungarian (Grey) Partridge in Lots 1-10 inclusive, and lots 43-47 inclusive, in 2013/2014.

^{**} Hunting with hounds is permitted from October 1 – March 31. The running of hounds for training or any other purpose will not be permitted from April 1 - September 30, except by permit.

^{***} A Snowshoe Hare Snaring License is required to snare snowshoe hare.

SCHEDULE II

TRAPPING SEASONS

Furbearing Animals	Open Season
Beaver	8:00 a.m., October 31 - March 31*
Mink	8:00 a.m., October 31 - February 28*
Muskrat	8:00 a.m., October 31 – March 31*
Weasel	8:00 a.m., October 31 - February 28*
Fox (snaring & trapping)	November 15 - January 31
Fox (modified foothold only) **	November 1 - November 14
Raccoon	October 15 - March 31
Coyote (snaring & trapping)	November 15 - January 31
Coyote (modified foothold only) **	November 1 - November 14
•	February 1 - February 28
Red Squirrel	No closed season
Skunk	No closed season

NAME

2. These regulations come into force on August 3, 2013.

EXPLANATORY NOTES

SECTION 1 amends the Schedules to the regulations that outline hunting seasons and limits and trapping seasons for game and furbearing animals in the province.

SECTION 2 provides for the commencement of these regulations.

EC2013-565

NATURAL PRODUCTS MARKETING ACT PRINCE EDWARD ISLAND MARKETING COUNCIL **APPOINTMENTS**

Pursuant to subsection 2(2) of the Natural Products Marketing Act R.S.P.E.I. 1988, Cap. N-3 Council made the following appointments:

TERM OF APPOINTMENT

Derwin Clow	27 January 2012
Freetown	to
(reappointment)	27 January 2015
Calvin Jollimore	26 July 2013
French River	to
(vice John Sullivan, term expired)	26 July 2016
Layton Wallace	13 January 2012
Cascumpec	to
(reappointment)	13 January 2015

NOTE:

* During the months of February and March, trap sets for beaver, muskrat and mink are restricted to those set in or over water. Weasel traps are restricted to Victor rat traps.

^{**} A "modified foothold trap" is a foothold trap that has been altered to improve the humaneness of the trap by laminating the jaws, off-setting the jaws or padding the jaws.